

DISTRICT 1
Matt Furnari
DISTRICT 2
Trip Hairston
President
DISTRICT 3
Andy Williamson
DISTRICT 4
Jeff Smith
Vice- President
DISTRICT 5
Leroy Brooks



BOARD ATTORNEY
Tim Hudson
COUNTY ENGINEER
Zach Foster P.E.
CHANCERY CLERK
Cindy E. Goode
ADMINISTRATOR
James Fisher
ROAD MANAGER
Tyrone Cunningham
CHIEF FINANCIAL OFFICER
Lloyd Price

February 26, 2026

The Honorable Trent Kelly
2243 Rayburn House Office Building
Washington, DC 20515

Dear Congressman Kelly,

I am writing to express my strong support for the Community Project Funding request submitted on behalf of the **Lowndes County Sheriff Department**.

The **Lowndes County Sheriff Department** is an outstanding team led by Sheriff Eddie Hawkins that has made it their mission to constantly improve law-enforcement in our community. In order to make these improvements they have made significant investments enhancing both body-worn and in-car camera systems, along with mobile-placed license plate readers and other technology to enhance their overall awareness and effectiveness. In addition, they have made deliberate upgrades to both jail-management and case-management electronic record-keeping systems within the Adult Detention Center and the system-of-record for the Sheriff's Office staff. As demands on local law enforcement continue to increase, these critical updates and additional equipment upgrades will ensure the highest of operational readiness and improve overall support to our citizens.

The Sheriff's Office Narcotics Unit, STING, was awarded the 2025 Narcotics Team of the Year by the Mississippi Narcotics Officers Association (MNOA). Their efforts have resulted in significant seizures, successful investigations, and the disruption of criminal networks operating within our region.

This project represents a responsible and targeted use of federal funds that will deliver tangible benefits to the community. By strengthening law enforcement capabilities, it will help create a safer environment for residents, businesses, and visitors while supporting the officers who work every day to keep our community safe and secure.

Thank you for your continued leadership and commitment to supporting local communities and public safety. I respectfully urge your support for this important Community Project Funding request.

Sincerely,

Trip Hairston, President
Lowndes County Board of Supervisors
Columbus, Mississippi



Mississippi State Senate

SENATOR CHARLES A. "CHUCK" YOUNGER

District 17

Lowndes, Monroe, and Oktibbeha Counties

New Capitol
Post Office Box 1018
Jackson, MS 39215-1018
Office: 601.359.2220
cyounger@senate.ms.gov

1213 Younger Road
Columbus, MS 39701
Cell: 662.251.3432

COMMITTEE ASSIGNMENTS:
Highways and Transportation, Chairman
Gaming, Vice Chairman
Agriculture
Energy
Environmental Protection
Ethics
Finance
Insurance
Wildlife, Fisheries and Parks

February 27, 2026

The Honorable Trent Kelly
2243 Rayburn House Office Building
Washington, DC 20515

Dear Congressman Kelly,

As State Senator of District 17, which includes Lowndes County, I am writing to express my strong support for the Community Project Funding request submitted on behalf of the Lowndes County Sheriff's Department.

During the 2024 Mississippi Legislative Session, I secured more than \$2 million in direct allocations to support the Lowndes County Sheriff's Department's critical need for technology improvements and facility upgrades. The Department was able to use those funds towards enhanced operational systems within the Adult Detention Center and modernized the department's case management platform, significantly improving efficiency, accountability, and safety for both staff and detainees.

The technology upgrades have replaced an outdated system with an integrated solution that allows seamless case tracking from initial response through court proceedings and, when applicable, detention. These improvements have positioned the department among the most forward-thinking law enforcement agencies in our region and strengthened its ability to serve the community effectively.

Your support of this Community Project Funding request will build upon these successful investments by ensuring our public safety professionals have the tools and infrastructure necessary to meet growing demands. Continued federal partnership will directly benefit the residents, businesses, and visitors of Lowndes County by enhancing safety and operational readiness.

Thank you for your leadership and commitment to Mississippi communities. I respectfully urge your favorable consideration of this important request.

Sincerely,

A handwritten signature in blue ink that reads "Charles A. Younger".

Charles A. Younger



Lowndes County School District

1053 Hwy 45 South – Columbus, MS 39701
(662) 244-5000 – Fax (662) 244-5043

Dr. Sam Allison
Superintendent

"Challenge all students to attain their greatest potential."

February 25, 2026

The Honorable Trent Kelly
2243 Rayburn House Office Building
Washington, DC 20515

Dear Congressman Kelly,

I am writing to express my strong support for the Community Project Funding request submitted on behalf of the Lowndes County Sheriff's Department.

The Lowndes County School District partners closely with the Sheriff's Department, and seven of their deputies currently serve as School Resource Officers in our schools. Their daily presence is a critical part of our school safety efforts and provides reassurance to our students, staff, and families.

This funding would provide essential equipment to support deputies in their mission to protect our community. Reliable, modern equipment enhances officer safety, strengthens emergency response capabilities, and ensures law enforcement is prepared to meet increasing demands. These improvements directly benefit not only the broader community but also the safety of our schools.

This request represents a responsible investment in public safety and community protection. I respectfully urge your consideration and support of this important funding request.

Sincerely,

Sam Allison, Ed.D.
Superintendent
Lowndes County School District



March 2, 2026

The Honorable Trent Kelly
2243 Rayburn House Office Building
Washington, DC 20515

Dear Congressman Kelly,

I am writing to express my strong support for the Community Project Funding request submitted on behalf of the Lowndes County Sheriff's Department.

This funding would provide essential equipment that directly supports law enforcement officers in their daily mission to protect the public and maintain community safety. Reliable, modern equipment is critical to effective policing, officer safety, and timely emergency response. This investment will help ensure that the department has the necessary tools to meet the growing needs of the community it serves.

The Sheriff's Department plays a vital role in safeguarding residents, responding to emergencies, and supporting public safety efforts throughout the county. As demands on local law enforcement continue to increase, access to updated and dependable equipment will enhance operational readiness, improve efficiency, and strengthen the department's ability to serve the public effectively.

This project represents a responsible and targeted use of federal funds that will deliver tangible and lasting benefits to the community. By strengthening local law enforcement capabilities, it will help create a safer environment for residents, businesses, and visitors while supporting the officers who work each day to keep our community secure.

Thank you for your continued leadership and commitment to supporting local communities and public safety. I respectfully urge your support for this important Community Project Funding request.

Sincerely,

A handwritten signature in black ink, appearing to read "Meryl W. Fisackerly".

Meryl W. Fisackerly
Chief Operating Officer
Golden Triangle Development LINK
Columbus, MS 39705

2100 AIRPORT ROAD | COLUMBUS, MISSISSIPPI 39701 | (662) 328-8369

WWW.GTRLINK.ORG



February 25, 2026

The Honorable Trent Kelly
2243 Rayburn House Office Building
Washington, DC 20515

Dear Congressman Kelly,

I am writing to express my strong support for the Community Project Funding request submitted on behalf of the Lowndes County Sheriff's Department.

This funding would provide essential equipment that will directly support law enforcement officers in their daily mission to protect the public and maintain community safety. Reliable, modern equipment is critical for effective policing, officer safety, and timely emergency response. This investment would help ensure the department has the tools necessary to meet the needs of the community it serves.

The Lowndes County Sheriff's Department plays a vital role in safeguarding residents, responding to emergencies, and supporting public safety efforts across the community. As demands on local law enforcement continue to increase, access to updated equipment will enhance operational readiness and improve overall service to the public. We can recount numerous times when the Department came to the immediate and critical needs of Steel Dynamics Columbus, and we fully support any additional training and/or equipment upgrades to help them continue to provide top-level community service.

This project represents a responsible and targeted use of federal funds that will deliver tangible benefits to the community. By strengthening law enforcement capabilities, it will help create a safer environment for residents, businesses, and visitors while supporting the officers who work every day to keep our community secure.

Thank you for your continued leadership and commitment to supporting local communities and public safety. I respectfully urge your support for this important Community Project Funding request.

Sincerely,

Dan Keown
Vice-President and General Manager
Steel Dynamics Columbus, LLC.
dan.keown@steeldynamics.com
662-245-4524

36 Howard Drive-Ellisville, MS 39437
P.O. Box 1590-Laurel, MS 39441

HOWARD™

TECHNOLOGY SOLUTIONS

A Division of Howard Industries, Inc.
www.Howard.com

888.912.3151 general-601.399.5077 fax
888.323.3151 technical support

Online Quotation

Quote No: JV4 1615837.00
Customer Name: Kim Sanderson
Company Name: Lowndes County, MS - Sheriff's Department
Quote Name: Updated Panasonic Toughbooks- EPO

Quote Date: February 25, 2026
Phone Number: 6623286788
Fax Number:

Item 1

Category	Description	Qty.	Unit Price	Ext. Price
System Type:	Accessories			
1:	Panasonic Toughbook 55 - Rugged - Intel Core i5 - 1345U / up to 4.7 GHz - Win 11 Pro - UHD Graphics - 16 GB RAM - 512 GB SSD NVMe, TCG Opal Encryption - 14" touchscreen 1920 x 1080 (Full HD) - Gigabit Ethernet - Wi-Fi 6E, Bluetooth MPN: FZ-55J2601BM Contract: MS EPO Contract 4671	20	\$2,590.00	\$51,800.00
2:	PROTECTION PLUS WARRANTY - FZ-40 and FZ-55 LAPTOP (YEARS 1, 2 and3) MPN: CF-SVCLTNF3YR Contract: MS EPO Contract 4671	20	\$290.00	\$5,800.00

Sub-Total: \$57,600.00

Shipping & Handling: Included

Taxes: Tax Exempt

Total for Item 1: \$57,600.00

**This Quote will expire on March 27, 2026.
Please include your Quote Number on your Purchase Order.**

Total for all pre-configured items

Sub-Total: \$57,600.00
Shipping & Handling : Included
Taxes: Tax Exempt
Total: \$57,600.00

Notes:

Quoted pricing reflects current manufacturer costs and is subject to change prior to order placement due to market conditions or availability.

THIS QUOTATION IS EXPRESSLY LIMITED TO, AND EXPRESSLY MADE CONDITIONAL ON, PURCHASER'S ACCEPTANCE OF THE TERMS HEREIN AND ACCEPTANCE OF HOWARD'S GENERAL TERMS AND CONDITIONS OF SALE (LOCATED AT: <https://www.howardcomputers.com/info/termsofsale.cfm>), WHICH ARE FULLY ADOPTED AND INCORPORATED HEREIN BY REFERENCE. PURCHASER'S SUBMISSION OF A PURCHASE ORDER PURSUANT TO THIS QUOTATION CONSTITUTES PURCHASER'S ACCEPTANCE OF AND AGREEMENT WITH HOWARD'S GENERAL TERMS AND CONDITIONS OF SALE. HOWARD OBJECTS TO ANY DIFFERENT OR ADDITIONAL TERMS. A COPY OF THE ABOVE- REFERENCED GENERAL TERMS AND CONDITIONS OF SALE MAY ALSO BE OBTAINED BY CALLING 1-888-912-3151 OR EMAILING webmaster@howardcomputers.com.

Howard's product warranties, return policies and related information are also available at <https://www.howardcomputers.com/support/warranties.cfm> and <https://www.howardcomputers.com/support/returnpolicy.cfm>, or may be obtained by calling 1-888-912-3151 or emailing webmaster@howardcomputers.com.

Howard hereby reserves the right to unilaterally withdraw and/or revise any Quotation or quoted prices at any time, including in the event its manufacturing or procurement costs increase due to the imposition by the United States or any other country of new or higher tariff(s) or other similar taxes, duties, fees or charges.



DSLR *Pros*TM

Intelligent Drone Solutions

Prepared by:
Derek Wheeler
DSLRPros.com
derek@dslrpros.com
213.325.2656

Prepared for:
Jeff Edmondson

Date Created: 02/26/2026

Quote ID: QV6B4-YUQRT-W8FIJ-PVJXS



Matrice 4TD Urban Scout Package

Name	Price	QT Y	Discount	SKU	Subtotal
ESSENTIAL KIT					

DJI Matrice 4TD with RC Plus 2 Enhanced Controller (Standalone Unit)	\$9,899.00	1	-\$494.95	S-DJI-M4TD-STN	\$9,404.05
--	------------	---	-----------	----------------	------------

- 1x DJI Matrice 4TD Aircraft
 - 1x DJI RC Plus 2 Enterprise Controller
 - DJI Matrice 4 Series 240W Charging Hub
 - DJI 240W USB-C Power Adapter
 - DJI Matrice 4TD Propellers (Pair) x3
 - USB-C to USB-C Cable
 - USB-A to USB-C Cable
 - Gimbal Cover
 - Screwdriver & Screws
 - microSD Card 64GB
 - DJI Matrice 4TD Hard Case
- S-DJI-M4TD-STN



<input checked="" type="checkbox"/> DSLRPros Care Plus (Matrice 4TD Dock Version)	\$1,099.00	1	\$0.00	V-DSLR-4TD-CP	\$1,099.00
---	------------	---	--------	---------------	------------

- Coverage Length: 13 months from the date your product ships
- What's Covered: Accidental damage from pilot error, collisions, drops, water exposure, signal interference, and internal malfunctions
- What's Not Covered: Intentional misuse, modifications, loss or theft, cosmetic wear, consumables (like propellers or batteries), or operation outside manufacturer guidelines
- Replacements: One replacement during the coverage term. Replacement may be new or refurbished. If unavailable, we'll provide a product of similar capability.
- How to File a Claim: Notify support@dslrpros.com within 7 days of an incident. Ship the product using the label we provide.
- Eligibility: Policy must be purchased before your product ships from DSLRPROS. Coverage applies only to the original purchaser.

V-DSLR-4TD-CP



DJI Matrice 4D Series Battery	\$495.00	4	-\$99.00	S-DJI-M4D-BAT	\$1,881.00
-------------------------------	----------	---	----------	---------------	------------

- 1x DJI Matrice 4D Series Battery

S-DJI-M4D-BAT



DJI AL1 Spotlight	\$449.00	1	-\$22.45	S-DJI-AL1	\$426.55
<ul style="list-style-type: none"> • 1x DJI AL1 Spotlight • 2x Spare Screw • 1x Hex Key 					

S-DJI-AL1



DJI AS1 Speaker	\$299.00	1	-\$14.95	S-DJI-AS1	\$284.05
<ul style="list-style-type: none"> • 1x Speaker • 1x Spare Adapter Bracket • 1x Hex Key 					

S-DJI-AS1



OPTIONAL ACCESSORIES
(Optional items will not reflect in total unless selected)

<input type="checkbox"/> DJI Matrice 4D Series Low-Noise Anti-Ice Propellers	\$48.00	1	-\$2.40	S-DJI-M4D-PROP	\$45.60
<ul style="list-style-type: none"> • 1x DJI Matrice 4D Series Low-Noise Anti-Ice Propellers 					

S-DJI-M4D-PROP



<input type="checkbox"/> DJI Matrice 4 Series Propeller Guard	\$79.00	1	-\$3.95	S-DJI-M4-PG	\$75.05
<ul style="list-style-type: none"> • 1x DJI Matrice 4 Series Propeller Guard 					

S-DJI-M4-PG



<input type="checkbox"/>	DJI WB37 Intelligent Battery (4920mAh)	\$99.00	1	-\$4.95	S-DJI-CS- CEN-INT- BATT	\$94.05
	<ul style="list-style-type: none"> 1x DJI WB37 Intelligent Battery 					
	S-DJI-CS-CEN-INT-BATT					



<input type="checkbox"/>	DJI WB37 Battery Charging Hub (USB-C)	\$109.00	1	-\$5.45	S-DJI-CS- CEN- BATT- CHRG- HUB	\$103.55
	<p>DJI WB37 Battery Charging Hub (USB-C)</p> <ul style="list-style-type: none"> For use with CrystalSky & Cendence Intelligent Batteries Charge batteries in sequence 					



<input type="checkbox"/>	SanDisk 32GB High Endurance microSDHC Card (U3, Class 10)	\$19.99	1	\$0.00	S-SD- 32GBHE	\$19.99
	S-SD-32GBHE					



<input type="checkbox"/>	Drone Landing Pad	\$16.00	1	\$0.00	S-NB- LPAD	\$16.00
	<ul style="list-style-type: none"> Lightweight and portable 42-inch (3.5ft) diameter Folds down to 16-inches Easily visible from the air Includes carrying bag and securing stakes 					

S-NB-LPAD



OPTIONAL SERVICES
 (Optional items will not reflect in total unless selected)

<input type="checkbox"/> Firmware Upgrade Service - Activation of the product(s), upgrading to the latest available firmware, and delivered ready to fly.	\$99.00	1	\$0.00	V-NB-FIRM-UPG	\$99.00
---	---------	---	--------	---------------	---------

V-NB-FIRM-UPG



<input checked="" type="checkbox"/> FREE Lifetime Customer Care & Technical Support Via Phone, Email & Chat	\$0.00	1	\$0.00	B-LC-TS	\$0.00
--	--------	---	--------	---------	--------

<input checked="" type="checkbox"/> Enterprise Concierge Assist Our customer care team is here to make sure that your aftersales experience is as seamless as the original transaction. We will assist our clients through the Enterprise Care deductible process (if applicable) as well as any warranty or not warranty related issues. We're here to help facilitate your success!	\$0.00	1	\$0.00	S-ECA-EUAS	\$0.00
---	--------	---	--------	------------	--------

*** Normally a \$500 Service ***

S-ECA-EUAS

<input checked="" type="checkbox"/> AirData Enterprise + Live Streaming Bundle - 1 Drone, 1 User, 20 Hours for 1 Month (Free Trial) <ul style="list-style-type: none"> • 1x AirData Enterprise Management + Live Streaming Bundle - 1 Drone (1 Month) Free Trial 	\$0.00	1	\$0.00	B-AD-EELS-120-FREE	\$0.00
---	--------	---	--------	--------------------	--------



This document contains sensitive and proprietary information from DSLRPros.com. Use or disclosure of the information contained herein is NOT permitted without prior written consent.

<input type="checkbox"/>	AirData Enterprise Management + Live Streaming Bundle - 1 Drone (1 Year)	\$1,040.00	1	\$0.00	B-AD-EELS-120	\$1,040.00
	<ul style="list-style-type: none"> 1x AirData Enterprise Management + Live Streaming Bundle - 1 Drone (1 Year) B-AD-EELS-120					



<input type="checkbox"/>	Pix4DReact - Perpetual Floating License	\$1,990.00	1	\$0.00	V-PXR-P	\$1,990.00
	Desktop application with floating license (1 device). Unlimited desktop processing. Personal support and upgrades included in the first 12 months (yearly extension 20% of licence price) One time payment.					

V-PXR-P



SHIPPING & HANDLING

Ground Shipping	\$0.00	1	\$0.00	V-NB-SHIP	\$0.00
-----------------	--------	---	--------	-----------	--------

*** Sales Tax applicable if shipping inside US ***

Subtotal	\$13,094.65
Total	\$13,094.65

Signatures

Again, we want to thank you for purchasing your equipment or services with DSLRPros.com. By signing below you agree to our terms and conditions and have read and understand the pricing provided. You also agree not to share the information & pricing provided in this document to anyone outside of your organization. <https://www.dslrpros.com/terms-of-use>



Jeff Edmondson

02 / 26 / 2026

Signature

Date

Jeff Edmondson

Agent

Name

Title

CERTIFICATE *of* SIGNATURE

REF. NUMBER

QV6B4-YUQRT-W8FIJ-FVJXS

DOCUMENT COMPLETED BY ALL PARTIES ON

26 FEB 2026 20:22:26
UTC

SIGNER

JEFF EDMONDSON

EMAIL

JEDMONDSON@LOWNDES-SO.ORG

TIMESTAMP

SENT

26 FEB 2026 20:14:27

VIEWED

26 FEB 2026 20:18:25

SIGNED

26 FEB 2026 20:22:26

SIGNATURE

Jeff Edmondson

IP ADDRESS

24.116.83.2

LOCATION

COLUMBUS, UNITED STATES

RECIPIENT VERIFICATION

EMAIL VERIFIED

26 FEB 2026 20:18:25





7911 Lehigh Crossing, Suite 6, Victor, NY 14564
 t. 585-383-0050 f. 585-383-0701

Quotation

Number LTCQ28850-01

Date Jun 10, 2025

To
Lowndes County Sheriff's Office
 Drew McCain
 dmccain@lowndes-so.org
 , MS

Phone: 662-328-6788
Fax:

Inquiry: Verbal
Sales Rep: Ben Peay
Ship: Ground
Delivery: 2-4 weeks ARO
FCA: Shipping point
Terms: Net 30

Here is the quote you requested.

Qty	Part #	Description	Unit Price	Ext. Price
OSCR360 High Resolution Capture Kit				
1	OSCR-LAW-STD-DC-HR-3	OSCR360 Solution Standard Law Data Collection Kit with High Resolution Camera. Includes - OSCR360 data collection tablet software license - 8" Android Rugged Tablet - Tablet case - 360 Degree High Resolution Panoramic Camera with Lens Cover - Sensor Tube with GPS, and Compass sensors - Standard Tripod - Triple port USB Fast charger - Charging cables - Soft Equipment Carrying Case	\$7,259.00	\$7,259.00
1	OSCR-LAW-STD-DC-SMS	OSCR360 Tablet Software Updates, Upgrades, and Maintenance. First Year -- REQUIRED --	\$767.00	\$767.00
1	INTRO-DC-SMS-SPECIAL	Introductory offer - Valid through 12/31/2025 Discount equal to first year SMS Contract	-\$767.00	-\$767.00
OSCR360 Desktop Presentation Package Floating License				
1	OSCR-FLT-PRO-DPS	OSCR360 Solution Professional Desktop Presentation Package. Licensed per User Includes: (1) OSCR360 Desktop Demonstrative Exhibit Development Software Floating concurrent user License	\$7,719.00	\$7,719.00
1	OSCR-FLT-PRO-DPS-SMS	OSCR360 Desktop Presentation Software Updates, Upgrades, and Maintenance for Floating License, First Year -- REQUIRED --	\$1,543.00	\$1,543.00
1	INTRO-FLT-SMS-SPECIAL	Introductory offer - Valid through 12/31/2025 Discount equal to first year SMS Contract	-\$1,543.00	-\$1,543.00
SUBTOTAL				\$14,978.00

Ben Peay

Page 1 of 1

PRICES SUBJECT TO CHANGE - PRICES BASED UPON TOTAL PURCHASE - ALL DELIVERY, TRAINING OR CONSULTING SERVICES TO BE BILLED AT PUBLISHED RATES - ALL HARDWARE PROPOSED ABOVE IS COVERED BY THE MANUFACTURERS WARRANTY, COVERING PARTS AND LABOR FOR HARDWARE ONLY ON A DEPOT BASIS. WE SHALL NOT BE LIABLE FOR ANY LOSS OF PROFITS, BUSINESS, GOODWILL, DATA, INTERRUPTION OF BUSINESS, NOR FOR INCIDENTAL OR CONSEQUENTIAL MERCHANTABILITY OR FITNESS OF PURPOSE, DAMAGES RELATED TO THIS AGREEMENT. RETURNS WILL NOT BE ACCEPTED WITHOUT AN RMA NUMBER. STANDARD PARTS ARE SUBJECT TO A MINIMUM 15% RESTOCKING FEE WITH ORIGINAL PACKAGING. RMA'S FOR NON DEFECTIVE MATERIALS WILL ONLY BE ISSUED WITHIN 21 DAYS OF SHIPMENT. RETURNS OF CUSTOM CONFIGURATIONS OR PARTS MAYBE SUBJECT TO MANUFACTURERS RESTRICTIONS. QUOTATION DOES NOT INCLUDE SHIPPING, OR ANY SALES TAXES OR DUTIES. CREDIT TERMS ARE SUBJECT TO APPROVAL BY THE FINANCE DEPARTMENT.



180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 767-2529
Direct: +1 (262) 763-0147
www.ldvusa.com

**AS BUILT
SPECIFICATIONS FOR:
GLENDALE PD (CA)**

MOBILE COMMAND CENTER

LDV PROJECT # SO 500409

December 18, 2025



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item	Qty	
1.00		CHASSIS/BODY DIMENSIONS:
1.01		Freightliner M2 – 106 Tandem Axle Chassis with a 29'6" – 102" Wide Dry Van Body <ul style="list-style-type: none"> • Chassis Wheelbase: 310" – Cab to Axle: 244" • Overall length (bumper to bumper): 476" • Overall width (rub rail to rub rail): 102" • Overall height (loaded): 154" • Interior finished height: 81.5" • Interior finished length: 354" • Interior finished width: 92"
2.00		CHASSIS:
2.01	1	Freightliner M2 106 Plus Conventional Cab, Tandem rear axle truck chassis. 56,000-lb. GVWR with rear air ride suspension and air brakes. <p>ENGINE:</p> <ul style="list-style-type: none"> • Cummins L9 360EV HP @ 2200 RPM, 2200 GOV, 1150 LB/FT @ 1200 RPM <p>ENGINE EQUIPMENT:</p> <ul style="list-style-type: none"> • 12v 240 amp 40-SI brushless pad alternator • (2) group 31, 12-volt maintenance free 2000 CCA threaded stud batteries • Single battery box frame mounted LH side under cab • Positive and negative posts for jumpstart • 18.7 cfm air compressor with internal safety valve • GVG, fire and emergency service vehicles engine warning • Cummins engine integral brake with variable geometry turbo on/off • RH standard horizontal tailpipe • 6-gallon diesel exhaust fluid tank • Antifreeze to -34f, OAT • Gates blue stripe coolant hoses or equivalent • 1000 Watt/115-volt block heater • 12v 38MT HD starter with integrated magnetic switch <p>TRANSMISSION:</p> <ul style="list-style-type: none"> • Allison 3000 EVS automatic transmission with PTO provision <p>TRANSMISSION EQUIPMENT:</p> <ul style="list-style-type: none"> • Magnetic plugs, engine drain, transmission drain, axle(s) fill and drain • Push button electronic shift control, dash mounted • Water to oil transmission cooler, in radiator end tank • Transmission oil check and fill with electronic oil level check • Synthetic transmission fluid <p>FRONT AXLE AND EQUIPMENT:</p> <ul style="list-style-type: none"> • 16,000# Drop single front axle • Meritor 16.5x6 Q+ cast spider cam front brakes, double anchor, fabricated shoes • Fire and emergency severe service, non-asbestos front lining • Front oil seals • Automatic front slack adjusters • TRW TAS-85 power steering • Synthetic 75w-90 front axle lube



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item Qty

Item	Qty	
		<p><u>FRONT SUSPENSION:</u></p> <ul style="list-style-type: none"> • 16,000# Taperleaf front suspension • Front shock absorbers <p><u>REAR AXLE EQUIPMENT:</u></p> <ul style="list-style-type: none"> • 40,000# R-series Tandem rear axle • 4.88 Rear axle ratio • (1) Interaxle lock valve for tandem or tridem drive axles • Meritor 16.5x7 Q+ cast spider cam rear brakes, double anchor, fabricated shoes • Fire and emergency severe service non-asbestos rear brake lining • Rear oil seals • Automatic rear slack adjusters • Synthetic 75w-90 rear axle lube <p><u>REAR SUSPENSION:</u></p> <ul style="list-style-type: none"> • Airliner 40,000# Extra duty rear suspension • Airliner high position ride height • Manual dump valve for air suspension with indicator light • Rear air suspension dump valve autofill with ignition off or >5 mph • Dual air rear suspension leveling valves • Rear shock absorbers - two axle (tandem) (air ride suspension) <p><u>BRAKE SYSTEM:</u></p> <ul style="list-style-type: none"> • Air brake package • 4S/4M ABS • BW AD-9 brake line air dryer with shield, heater and integral reservoir • Air dryer frame mounted • Steel air brake reservoirs • Pull cable on wet tank, petcock drain valves on all other air tanks <p><u>FRAME:</u></p> <ul style="list-style-type: none"> • 7/16"x3-9/16"x11-1/8" steel frame • 1/4" (6mm) C-Channel inner frame reinforcement <p><u>CHASSIS EQUIPMENT:</u></p> <ul style="list-style-type: none"> • Three-piece 14 inch chromed steel bumper with collapsible ends • Front tow hooks - frame mounted • Bumper mounting for single license plate <p><u>FUEL TANKS:</u></p> <ul style="list-style-type: none"> • 50-gallon rectangular aluminum fuel tank - RH • 50-gallon rectangular aluminum fuel tank - LH • Length of auxiliary pickup tubes (generators, furnaces etc.) shall prevent these devices from using more than 75% of vehicle's fuel tank capacity • Polishing of fuel/hydraulic tank(s) with painted bands • Fuel tank(s) forward • Polished stainless steel step finish • High temperature reinforced nylon fuel line



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item Qty

Item	Qty	
		<p><u>TIRES:</u></p> <ul style="list-style-type: none"> • Michelin X Line Energy Z 315/80R22.5 20 ply radial front tires (or current model) • Michelin X Multi D 275/80R22.5 14 ply radial rear tires (or current model) <p><u>WHEELS:</u></p> <ul style="list-style-type: none"> • Alcoa Ultra One 89U64X22.5X9.00 10-hub pilot 5.99 insert aluminum front wheels • Alcoa ULA18X22.5X8.25 10-hub pilot aluminum rear wheels • Bright standard polish front wheels with dura-bright finish • Bright standard polish rear wheels with dura-bright finish <p><u>CAB EXTERIOR:</u></p> <ul style="list-style-type: none"> • 106" BBC Flat roof aluminum conventional cab • Leaf Spring rear cab suspension • Nonremovable bugscreen mounted behind grille • LH and RH exterior grab handles with single rubber insert • Hood mounted chromed plastic grille • Chrome hood mounted air intake grille • Dual electric horns • Daytime running lights • Dual west coast bright finish heated mirrors with LH and RH remote • Door mounted mirrors • LH and RH 8" bright finish convex mirrors mounted under primary mirrors • RH down view mirror • Omit rear window • Tinted door glass LH and RH with tinted operating wing windows, and tinted windshield • RH and LH electric powered windows <p><u>CAB INTERIOR:</u></p> <ul style="list-style-type: none"> • Professional trim package • Heater, defroster and air conditioner • Standard HVAC ducting • Heavy duty air conditioner compressor • Dome door activated LH and RH, dual reading lights, forward cab roof • Door locks and ignition switch keyed the same • LH and RH electric door locks • Premium high back air suspension driver seat with 2 chamber air lumbar, integrated cushion extension, tilt and adjustable shock absorber • Premium high back air suspension passenger seat with 2 chamber air lumbar, integrated cushion extension, tilt and adjustable shock absorber • Dual driver and passenger seat armrests • Black Cordura Plus cloth driver seat cover • Black Cordura Plus cloth passenger seat cover • High visibility orange retractor driver and passenger seat belts • Adjustable tilt and telescoping steering column



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item	Qty	
		<p><u>INSTRUMENTS & CONTROLS:</u></p> <ul style="list-style-type: none"> • 97 db backup alarm • Electronic cruise control with controls on steering wheel spokes • Premium instrument cluster with 5" x 1' color display • 2 Inch electric fuel gauge • Electrical engine coolant temperature gauge • 2 Inch transmission oil temperature gauge • Electric engine oil pressure gauge • Engine and trip hour meters integral within driver display • AM/FM/WB tuner radio with Bluetooth, and USB and front auxiliary inputs • Dash mounted radio • (2) radio speakers in cab • AM/FM Antenna mounted on forward LH roof • Standard radio wiring with steering wheel controls • Electronic MPH speedometer with secondary KPH scale, without odometer • Electronic 3000 RPM tachometer <p>Note: Chassis specifications are from Freightliner Custom Chassis and are subject to change without notice.</p>
2.02		<p><u>CHASSIS WARRANTY:</u></p> <ul style="list-style-type: none"> • Two (2)-year/unlimited miles Freightliner M2 chassis warranty. • Two (2)-year/100,000-mile Cummins engine warranty. • Five (5)-year/unlimited miles Allison transmission warranty.
2.03	1	Route horizontal exhaust to streetside.
2.04	1	Install chrome lugnuts covers and hub caps on all wheels. Includes valve extensions on rear wheels as needed.
2.05	1	<p>Chassis starter interlock system.</p> <ul style="list-style-type: none"> • Chassis starter is disabled when any of the connected systems is not ready for vehicle travel. • Audio warning will sound if ignition is turned on • Multiplex screen will show a which device is not stowed and engaging the interlock. • Override button allows for moving the vehicle in an emergency situation.
2.06	1	LDV to install a Fuel Tank Sender in the Driver's Side Fuel Tank to send the Fuel Tank Level to the Multiplex System.
2.07	1	<p>US DOT triangle reflector kit with three (3) triangles, for compliance with FMCSA regulations. Includes plastic storage case.</p> <p>NOTE: Kit will be shipped loose in the vehicle.</p>
2.08	1	<p>Pair of rubber wheel chocks with rope handle.</p> <p>NOTE: Wheel chocks will be shipped loose in the vehicle.</p>



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item	Qty	
3.00		BODY:
3.01	1	<p>Load space area shall be an 83" high x 102" wide x 29'6" long all aluminum dry van body.</p> <p>Body Includes:</p> <ul style="list-style-type: none"> • Aluminum alloy double H wall beam, 6005-T5 alloy, 3" deep x 1.5" wide, 0.125 wall thickness. • Studs feature machined wire pass-throughs, and raised adhesive control features on base. • I-beams chemically bonded to sidewalls eliminating the need for additional rivets. Buck-rivets will be used to fasten the top, bottom and rub rail. Use of two-sided tape is not acceptable. • Body shall have 0.125" strain-hardened aluminum alloy 5052-H36 side panels. The upper panels shall be free of rivets allowing for smooth graphics application. • Skirt supports, 1.5 x 1.5 x 0.125 angle to reinforce skirt edge and hold bottom edge in a straight line. 0.188 x 1.00" flat braces placed at 4' intervals and riveted to lower wall angle and floor to maintain sidewall skirt rigidity. • Fender flares, 1.38" x 2.25" x 0.090" roll formed and radiused 5052-H32 aluminum sheet, mechanically fastened to wheel opening. Edges sealed against moisture. • NFPA 1901 embossed 0.125" aluminum tread plate roof attached to 3" x 1 1/2" x 0.125 extruded aluminum roof bows on 16" centers. Bows are 2" skip welded every 12" Tread plate seams shall be continuous welded. Perimeter of roof shall be chemically sealed. • Extruded aluminum floor with interlocking planks, 1.88" high x various widths, 0.125" top surface. 6005-T5 alloy and temper. Heavy-duty thick-wall extruded planks fore and aft of all floor cutouts and every 5th plank in all other areas. Planks made of 6005-t5 alloy and temper, 0.250" thick top surface. • Full width 3" deep aluminum rear bumper, painted to match the body. • Full length skirting below floor (32" skirts). • All clearance and side marker lights to be LED. • Standard structural warranty of 5 years or 50,000 miles and standard component warranty of 12 months or 12,000 miles. • The vehicle shall be fully sanded on all exterior surfaces with no more than 150 grit to assure removal of imperfections in metal surface. All aluminum shall be chemically etched and primed prior to painting. Base body color shall be oven baked and painted to commercial truck standards.
3.02	2	<p>32" wide x 76" high 0.125" aluminum sedan door installed above floor.</p> <ul style="list-style-type: none"> • Includes 21.5" wide x 25.5" high fixed window. • Door shall have continuous stainless-steel piano hinge, two (2) nylon door straps and an aluminum drip rail. <p>NOTE: One (1) will be the Side Entry Door (Curbside – Forward of the Rear Wheels) One (1) will be the Rear Entry Door (Centered on the Rear Wall)</p>
3.03	2	<p>Pull out aluminum stairs encased in a narrow profile cassette Includes exterior fold out stainless-steel tubular handrail.</p> <p>NOTE: Mounted under Side Entry Door and Rear Entry Door. Steps to be Solid Aluminum and Covered with Evergrip Step Covers (Black with Yellow Edge)</p>



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item	Qty	
3.04	1	<p>32" wide x 76" high 0.125" aluminum sedan door installed above floor.</p> <ul style="list-style-type: none"> • Door Does Not have a window. • Door shall have continuous stainless-steel piano hinge, two (2) nylon door straps and an aluminum drip rail. <p>NOTE: This door will be the Lavatory Door (Streetside – Forward of the Rear Wheels)</p>
3.05	1	<p>Underbody compartment with slide-out step assembly for Lavatory access. Includes exterior fold out stainless-steel tubular handrail.</p> <p>NOTE: Door for steps will include straps or bumpers to prevent door from hitting skirting. Steps to be Solid Aluminum and Covered with Evergrip Step Covers (Black with Yellow Edge)</p>
3.06	3	<p>Interior heavy-duty fluted aluminum grab handle with rubber inserts and chrome plated stanchions installed on interior panel of side and rear entry doors.</p>
3.07	2	<p>Custom fabricated door holder, manually operated, to hold door in fixed open position</p> <p>NOTE: One (1) will be for the Side Entry Door, and One (1) will be for the Rear Entry Door.</p>
3.08	3	<p>Wire one of the overhead lights to function as a courtesy light when the entry door is opened.</p>
3.09	1	<p>Courtesy light defeat in Intel-I-Touch™ multiplex control screen. Each entry door courtesy light will be automatically deactivated where the corresponding room has the overhead lighting set to night mode.</p>
3.10	1	<p>TriMark keyless entry system for Side Entry Door and Rear Wall Door. System includes:</p> <ul style="list-style-type: none"> • One (1) Key Pad on Exterior at Side Entry Door • One (1) Key Pad on Exterior at Rear Wall Door • Four (4) Key FOBs • Two (2) Door Actuators <p>NOTE: Control box will be mounted in Power Distribution Cabinet and will also include an External Antenna mounted on the Antenna Raceway (for FOB control at the rear of the truck.</p>
3.11	1	<p>TriMark keyless entry system for Lavatory Door. System includes:</p> <ul style="list-style-type: none"> • One (1) Key Pad on Exterior at Lavatory Door • Four (4) Key FOBs • One (1) Door Actuator <p>NOTE: Control box will be mounted in the Overhead Cabinet in the Lavatory</p>



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item	Qty	
3.12	1	<p>Whelen Stop/Turn/Tail/Backup light set. Includes two of each of the following:</p> <ul style="list-style-type: none"> • Whelen M6FCV4 polished chrome vertical housings for four M6 series lightheads. • Whelen M6 series LED arrow shaped amber turn signal, model number M6T. • Whelen M6 series LED brake/tail light heads, model number M6BTT. • Whelen M6 series LED back-up light heads, model number M6BUW. <p>NOTE: The fourth light head space (upper position) will be for an emergency light as specified in the Emergency Lighting / Siren section below.</p>
3.13	1	Cast Products LP0013-1 aluminum license plate holder with LED light.
3.14	1	Entire underside shall be undercoated. Includes floor extrusions, step wells and aluminum compartments.
3.15	1	LDV rear mud flaps. Includes anti-sail brackets when required.
3.16	1	Flat floor (over the wheel) slide-out room extension 99" long x 30" deep (26" extension). NOTE: This is the Streetside Front Slide Out
3.17	1	Flat floor (standard) slide-out room extension 99" long x 30" deep (26" extension). NOTE: This is the Curbside Front Slide Out
3.18	1	Flat floor (over the wheel) slide-out room extension 74" long x 30" deep (26" extension). NOTE: This is the Streetside Rear Slide Out
3.19	1	Flat floor (over the wheel) slide-out room extension 74" long x 34" deep (30" extension). NOTE: This is the Curbside Rear Slide Out
3.20	1	<p>Slide-out General Construction:</p> <ul style="list-style-type: none"> • Slide-outs to be fabricated with a structurally rigid welded aluminum tube design with a fully bonded aluminum shell. • 0.125" 5052 aluminum wall skins on slide-out. • 1" x 3" x 1/8" 6061 aluminum wall beam channels with 2" x 6" wire chase slot 6" from the top. • 2" x 4" x 1/8" 6061 aluminum lower tubular structure with 1" x 2" x 1/8" cross supports. • 1" x 4" x 1/8" 6061 aluminum upper tubular structure with 1" x 1" x 1/8" cross supports. • All exposed tube ends to be capped before welding assembly together. • Flexible wire chase to be fully enclosed in aluminum channel with access cover. • Full perimeter double rubber bulb seal with an additional seal in the fully extended and fully retracted positions.



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item	Qty	
		<ul style="list-style-type: none"> • Multiplexed electric over hydraulic control system programmed to lower the slide out to floor height after full extension. • Slide outs shall include an awning topper that automatically extends and retracts over the top of the room to protect from weather and debris. <p>NOTE: Slide Out Toppers shall be ordered Black in color Slide Out Toppers shall include Charcoal Grey (4644) Material.</p>
3.21	4	<p>Amber warning light mounted on side wall of the slide out.</p> <p>NOTE: One (1) light will be mounted on front wall of each front slide out One (1) light will be mounted on rear wall of each rear slide out Lights will be controlled by Two buttons on the multiplex system – Streetside and Curbside</p>
4.00		PAINT / GRAPHICS:
4.01		<p>Body paint shall be base/clear from the roof line down Color will be Black Elite (Axalta L0001EY) to match the Cab</p> <p>NOTE: Body shall be oven baked and painted to commercial truck standards.</p>
4.02	1	6-inch-wide reflective stripe on the exterior back and sides of the vehicle.
4.03	1	<p>Custom computer-generated reflective vinyl graphics per customer specifications. Includes up to seventy 8"-10" letters and up to forty-five 3"-6" letters. All lettering shall be shaded or outlined (colors/style ~ to be determined). Note: Graphics package does not include production of custom shields and/or seals.</p>
4.04	3	<p>Custom computer-generated non-reflective vinyl shield. Customer shall supply true vector artwork required to produce shield.</p>
4.05	4	Reflective Chevrons installed on side wall of the slide out.
5.00		INTERIOR MATERIAL / COLOR SELECTION:
5.01		<ul style="list-style-type: none"> • Wall Covering: Rooms 1 and 3 will be Carpet – Frost • Wall Covering: Room 2 will be Satin Stainless Laminate • Wall Covering: Exterior Access Lavatory will be Silver Smooth FRP • Ceiling Fabric: Silver Haze Headliner Material on All Ceilings • Ceiling AC Ducting and Corner Trim: Charcoal Grey Powder Coated Aluminum • Slide Out Fascia: Charcoal Grey Powder Coated Aluminum • Power Distribution: Charcoal Grey Powder Coated Aluminum • Floor Covering: Onyx PVC Flooring • Office Chairs: Black • Bench Seating – Back Cushions: Ultraleather Dwell – Basalt • Bench Seating – Bottom Cushions: Charcoal Grey • Cabinets: Charcoal Grey Powder Coated Aluminum with Powder Coated Frames • Counters and Tables: Night Stars Solid Surface



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item Qty

Item	Qty	
6.00		DRIVER / PASSENGER CAB AREA:
6.01		Cab Area Additions: <ul style="list-style-type: none"> • Vehicle height sign on dash. • Vehicle shall have a Final Stage Vehicle Certification and Altered Vehicle Certification as required by Federal Motor Vehicle Safety Standards (FMVSS) 49 CFR Part 567.5 and 567.7 • Payload sticker in cab area with vehicle axle load ratings and available axle payload as built.
6.02	1	Custom fabricated console in cab
6.03	1	Intec 4-Camera System with 7" LCD Monitor with built in DVR Includes: <ul style="list-style-type: none"> • One (1) Intec CVC400H Backup Camera • One (1) Intec CVHDC10C Forward Facing Camera • Two (2) Intec CVC403H Side View Camera • One (1) CVMHDVR706 7" LCD Monitor with built in DVR • One (1) 128GB SD Card
6.04	1	Door ajar warning on Multiplex Screen with audible alert. This warning does not lock out the chassis ignition – warning only. NOTE: <ul style="list-style-type: none"> • Includes Body Entry Doors, Exterior Workstation Door, Electronics Rack Access Doors, and all of the Underbody Compartments. • Does not include Driver or Passenger Door
7.00		WALLS, CEILING AND FLOOR:
7.01		Insulate walls with a minimum of 2-1/2" of fiberglass insulation. Cover interior body side posts with 1/2" plywood sub wall.
7.02		Cover sub wall with ribbed loop pile carpet. NOTE: Located in Rooms 1 and 3
7.03		Cover sub wall with Wilsonart laminate. NOTE: Located in Room 2
7.04		Cover sub wall with smooth finish Kemlite 0.075" fiberglass reinforced plastic (FRP) lining. NOTE: Located in Lavatory
7.05	2	Stainless steel hook, 3-1/2" inside diameter. NOTE: Mounted in Lavatory on Bulkhead above toilet



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item	Qty	
7.06		<p>Insulate ceiling with a minimum of 2-1/2" of fiberglass with an R-11 rating.</p> <ul style="list-style-type: none"> • Cover interior roof beams with 1/2" plywood. • Modular panel design allows for manageable future additions and repairs. • Plywood Panels covered in acoustical fabric. <p>NOTE: Material will be Silver Haze Headliner</p>
7.07		<p>Floor underlayment to be 5/8" exterior grade tongue and groove structural plywood, 6 ply, face veneer plugged and sanded.</p>
7.08		<p>Lonseal Loncoin II Flecks non-skid commercial grade PVC flooring. The flooring shall be continuous, one-piece full length, full width, no seams.</p> <p>NOTE: Color will be Onyx - Black</p>
7.09		<p>Vinyl cove molding (mop board) at base of wall, 2-1/2" high. Installed where required.</p> <p>NOTE: Color will be Black</p>
7.10	2	<p>Flush pocket door covered in laminate, installed on heavy-duty aluminum c-channel track with two (2) three-wheel roller trucks. Pocket door shall have recessed handle and magnetic closure to keep the door open/closed.</p> <p>NOTE: Room 1 side of the Front Pocket Door will be covered with Magnetic Dry Erase Material. Both sides of the Pocket Doors in Room 2 will be covered with Satin Stainless Laminate. Room 3 side of the Rear Pocket Door will be covered with Magnetic Dry Erase Material.</p>
7.11		<p>All bulkheads shall be covered with materials to match walls. Trim exposed edges of bulkheads with rounded anodized aluminum trim where applicable.</p> <p>NOTE: Bulkhead next to rack (in Room 3) shall have an access hole into the rack area.</p>
7.12	3	<p>Cover interior of entry door with powder coated aluminum panel (Charcoal Grey). Includes a heavy-duty rubber grab handle</p> <p>NOTE: Interior window covering for Side Entry Door and Rear Entry Door will be a Day/Night shade</p>
7.13	6	<p>Flush mount fixed window installed on side wall in slide out.</p> <p>NOTE:</p> <ul style="list-style-type: none"> • Two (2) Windows in each Front Slide Out • One (1) Window in each Rear Slide Out <p>Window covering will be a Day/Night shade</p>



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item	Qty	
8.00		GALLEY / LAVATORY:
8.01	1	Norcold DC751BB DC powered refrigerator with the following features: <ul style="list-style-type: none"> • 2.7 cu. ft. capacity. • Freezer shelf for ice cube tray. • Door bin holds 2-liter containers. • Integrated door latch. • 12/24 Vdc
8.02	1	Pressurized Lavatory Water System. Includes: <ul style="list-style-type: none"> • One (1) Aqua Magic V (or current model) low-profile toilet in lavatory. • One (1) Corner cabinet with sink • One (1) Chrome plated toilet paper holder in lavatory. • One (1) Aqua Jet model #5503-AV15-B636 (or current model) 5.3 GPM water pump. • One (1) 30-gallon fresh water supply • One (1) 35-gallon waste tank. • Fresh water/waste tank level monitor through Multiplex System. • Plumbing pressure pipes shall be PEX tubing. • Underbody fresh water and grey water tanks are to be heated and all plumbing insulated and wrapped with heat tape. • Sewage hose and dump valve shall be provided for holding tank. • Winterizing valve mounted in line on the input side of the water pump. Valve allows antifreeze to be pumped throughout the system to winterize plumbing. <p>NOTE: Water system does not include a Water Heater.</p>
8.03	1	Install city water feed inlet.
8.04	1	Permanently mounted holding tank rinsing system.
8.05	1	Wastebasket with hold-down bracket. NOTE: Mounted in the Lavatory
8.06	1	Bobrick B-165 18" x 24" one-piece channel frame mirror with bright polished finish. NOTE: Mounted in the Lavatory on main wall - between Lavatory and Room 2.
8.07	1	Purell CS8 automatic touch free Soap Dispenser, 1200 mL, Graphite (7834-01) NOTE: Mounted in the Lavatory
8.08	1	Paper Towel Dispenser for Standard Paper Towel Rolls NOTE: Mounted in the Lavatory



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986

Fax: (262) 763-0156

Direct: +1 (262) 763-0147

www.ldvusa.com

Item	Qty	
9.00		<u>SEATING:</u>
9.01	9	Space Air Grid office chair 5560 black, five caster spider base, and adjustable height.
9.02	6	Securement strap with buckle installed under counter to secure office chair.
9.03	3	Fabricated chair brackets with magnets to secure office chairs to flip-down seating Includes steel plates in flip-down bench seating bottom seat
9.04		Fabricate and install flip-down bench seating <ul style="list-style-type: none"> • Bench seat cushions shall be covered in heavy-duty vinyl. • Bottom cushions will be installed on Zico Quic-Seat® fold down spring loaded seat brackets. • Includes back rest cushions that are sized for clearance from television above.
9.05		<u>BENCH SEAT REQUIREMENTS:</u> <ul style="list-style-type: none"> • Foam for seat backs and bottoms shall be firm density. • All bench seating material must meet Federal Motor Vehicle Safety Standards part 571.302 Flammability of Interior Materials. • Material corners shall be squared or angled to fit precise cut of foam. • Foam shall be bonded to plywood backer with industrial grade adhesive. • Attachment of fabric/vinyl to backer shall utilize industrial grade upholstery staples.
10.00		<u>CABINETS:</u>
10.01		Custom fabricated aluminum cabinets located as shown on drawing. Cabinet specifications: <ul style="list-style-type: none"> • Base cabinets constructed of 0.080" powder coated aluminum with powder coated frames. • Base cabinet doors are double shell, formed from a single sheet of 0.080" aluminum, with a 0.040" aluminum door back attached. • Overhead cabinets constructed of 0.064" powder coated aluminum with powder coated frames • Overhead cabinet doors are double shell, formed from a single sheet of 0.064" aluminum, with a 0.040" aluminum door back attached. • Overhead cabinet doors swing up and gas spring lift supports.
10.02		Radius edging incorporated as design permits.
10.03	4	Dry erase writing surface on overhead cabinet door.
10.04	4	Gas spring lift supports on overhead cabinet door.
10.05	4	LED light with on/off switch, mounted under overhead cabinet.
10.06	1	Slide-out printer tray.
10.07	2	Slide-out countertop for Motorola Dispatch Laptop use.
10.08	4	Aluminum box pan shelf located in a Closet
10.09		Closet shelves shall be infinitely adjustable using mini B-line track and hardware.
10.10		Wilsonart Gibraltar 1/2" solid surface countertop over subsurface. Solid surface countertop shall have a 1-1/2" front lip with radius edge.
10.11		Wilsonart Gibraltar 1/2" solid surface conference tabletop over subsurface. Solid surface tabletop shall have a 1-1/2" front lip with radius edge.
10.12	1	Powder coated 0.125" aluminum conference table base. NOTE: Located in Room 1 - the Front Conference Room



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item	Qty	
10.13	1	Linear actuator lifting column table base for conference table. Provides capability to be a sitting or standing conference table that is adjustable through table leg lifting columns and control box. NOTE: Located in Room 3 – the Rear Dispatch Room
10.14		Solid Surface communication equipment shelf mounted above countertop.
10.15	2	Custom swivel mounted countertop for slideout flip-down bench seating. Install T-molding edge on these to protect the edges.
10.16	7	Magnetic dry erase board framed in aluminum. Includes aluminum clip frame for easy board replacement, sized as required. NOTE: • One (1) on each Bulkhead in Room 1 – the Front Conference Room = 2 • One (1) on the Curbside Bulkhead in Room 2 – next to Workstation 4 • One (1) on each Bulkhead in Room 3 – the Dispatch Room = 2 • Two (2) on the Rear Wall
10.17	7	Grip-A-Strip paper holder NOTE: • One (1) mounted on each Dry Erase Board
10.18	4	Magnetic dry erase marker caddy kit.
10.19	5	Pencil drawer under countertop.
10.20	1	Key display board Clearly tag all keys for the vehicle as to their purpose.
10.21	1	Custom fabricated console to house electrical distribution components and control panels. NOTE: Power Distribution Cabinet will be an Aluminum Cabinet – Powder Coated Charcoal Grey
10.22	1	Cabinet mounted in Lavatory – above sink – for additional multiplex nodes on Streetside
11.00		HVAC SYSTEM:
11.01	1	Fan-tastic Vent model 1450 3-speed reversible 12" power roof ventilator. NOTE: Vent located in the Lavatory
11.02	1	Fan-tastic Ultrabreeze vent cover. NOTE: Color shall be Smoke
11.03	3	Broan model 174 wall mount 5,120 Btu/hr electric heater. NOTE: • One (1) located in each Room 1-3



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item Qty

11.04	5	<p>Ducted Coleman Polar Mach 8 series low profile air conditioner Air conditioners are controlled through multiplex control system Includes:</p> <ul style="list-style-type: none"> • 15,000 nominal Btu/hr. air conditioner with condensate pump. • Chill Grille Assembly with 5,600 Btu/hr heat strip • Louvered Ceiling Vents, as required <p>NOTE:</p> <ul style="list-style-type: none"> • Two (2) will be in Room 1 The front air conditioner will include a direct discharge ceiling assembly The rear air conditioner will have full ducting on the ceiling • Two (2) will be in Room 2 The front air conditioner will include a Direct Dump Ceiling Assembly - with ceiling mounted ducting (off the front of the air conditioner) to the Lavatory The rear air conditioner will be a Direct Dump Ceiling Assembly • One (1) will be in Room 3 This air conditioner will have full ducting with all Six Vents in Room 3 Air Conditioner covers to be ordered Black Ceiling duct work will be powder-coated charcoal grey to match slide out fascia and cabinets.
12.00		AC ELECTRICAL SYSTEM:
12.01	1	<p>Power Tech 30-kW 120/240Vac liquid-cooled diesel generator with air bag mounts installed in a custom fabricated compartment.</p> <p>Generator features:</p> <ul style="list-style-type: none"> • Tier 4F Emissions • USTC Certified Manufacturer • Warranty: 2 years from date of purchase, or 3000 hours whichever comes first, or 36 months from the date of manufacture. • Four-point air bag mounting system • Four-cycle water-cooled diesel engine • Radiator cooled, direct mounted • High-coolant temp and low oil pressure shutdown sensors • Spin-on fuel and oil filter • Single side service • Gallon Per Hour fuel consumption: 50% load = 1.5, 100% load = 2.9 <p>Compartment shall be constructed to the following specifications:</p> <ul style="list-style-type: none"> • 0.187" aluminum with all welded seams. • 2" deep 0.125" aluminum box pan doors and 0.125" aluminum frames. • Door frames riveted to the body and welded to the compartments. • Stainless steel door hinges attached with stainless steel machine screws. • Flush mounted door handles with slam latches. • 0.100" aluminum treadplate panels on interior door surfaces.



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item	Qty	
		<ul style="list-style-type: none"> • Gas charged lift/support cylinders to hold doors open at 90°. • Industrial grade neoprene gasket door seals. • Door activated LED light inside compartment. • Sound barrier lining on interior compartment walls, ceiling and doors. Sound barrier material consists of metalized Mylar facing, 1" sound absorbing foam, 1.0#/sf barrier, 1/4" foam decoupler and a 3 mil. acrylic pressure sensitive adhesive with a 76# Kraft paper liner. <p>NOTE: Generator exhaust shall be routed to the street side of the vehicle.</p>
12.02	1	Tiger Foam insulation installed between floor and generator compartment to reduce noise/vibration in load space.
12.03	1	ACData surge suppressor for protection of entire AC power system. Product features: <ul style="list-style-type: none"> • UL listed: UL1449 3rd Edition • LED visual verification of status
12.04	1	LDV exclusive Intel-I-Touch™ vehicle automation control system. A multiplexed vehicle automation system must be incorporated into a common touch screen(s) that is custom programmed to monitor and control onboard systems as described throughout the specifications. The automation system software must allow simultaneous distribution of information to multiple onboard control/monitoring stations and the software must be updateable and configurable as required. This system is mandatory as it simplifies start up procedures, contains fewer operating components, reduces operational start-up time, reduces the total amount of wiring in the vehicle and includes error detection protocols and troubleshooting features. Features include: <ul style="list-style-type: none"> • One (1) 10" LCD touch screen with custom graphics for control and monitoring systems • AC power distribution control and monitoring for the generator with power management • DC power distribution control and monitoring • Manual or automatic generator control • HVAC and temperature control. • Interior and exterior lighting control • Automatic power transfer switches • Automated startup and shutdown procedures • Seamless control of generators, lighting, awnings and additional devices • Mast control • Safety interlocks • Battery saver feature • Generator Service Alerts <p>The system must be completely upgradeable with power modules located throughout vehicle. Additional components may be added to system with a simple software modification System</p>



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986

Fax: (262) 763-0156

Direct: +1 (262) 763-0147

www.ldvusa.com

Item	Qty	
		capability is not to be achieved with use of multiple monitoring systems designed for specific use i.e. water monitors, battery monitors etc.
12.05	1	7" LCD touch screen with custom graphics for control and monitoring systems. All touch screens provide complete control and monitoring of vehicle systems. NOTE: This 7" touch screen will be mounted in cab on console
12.06	2	3" Touch panel with numeric display for dedicated local control and monitoring of specific vehicle automation system features including room HVAC. Display shows current room temperature and HVAC setpoint when adjusted. Includes control layout and indicators where applicable. NOTE: • One (1) Pad located in Rooms 1 and 3
12.07	1	3" Touch panel for dedicated local control and monitoring of specific vehicle automation system features. Includes control layout and indicators where applicable. NOTE: Located in Exterior Workstation
12.08		Storage Mode Storage Mode maintains the vehicle in a ready-to-deploy condition. Battery chargers, specified outlets, and other pre-determined equipment is powered. HVAC is maintained at a storage mode setting to prevent freezing in the winter or overheating in the summer. The generator can be set to automatically start in the event of a loss of shore power.
12.09		Travel Mode Travel Mode places the vehicle in a ready-to-travel condition based on vehicle application and equipment. In most cases this includes: starting the generator and transferring off of shore power, turning on HVAC and adjusting temperature to normal operating setpoints, stowing all equipment for travel, powering up communication gear. Travel Mode is a custom programmed, automated process similar to the Auto Startup and Auto Shutdown.
12.10		Reduced Lighting Mode This feature allows the white ceiling lighting in each room have the option of All-On or Half-On.
12.11		Night Time (Red) Lighting Mode This feature turns the ceiling lighting in each room from white to red lights.
12.12		Leveling Control Intel-I-Touch Auto Leveling feature. Includes touchscreen indication of vehicle level and control of leveling jacks automatically, individually or in pairs. Jacks are automatically retracted as part of the Auto Shutdown process.
12.13		Fuel Gauge and Audible Warning Feature Includes a fuel gauge on screen and an audible low fuel level alert (audible alert at 3/8 tank)
12.14	1	Kussmaul Auto Eject 20, 20A-120Vac shore power inlet Includes a 25-ft. 20A-120Vac shore power cord.
12.15	1	Marinco 100A-125/250Vac waterproof shore power inlet Includes a 25-ft. 100A-125/250Vac shore power cord Also includes a 6-ft. 100A-125/250Vac pigtail.



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986

Fax: (262) 763-0156

Direct: +1 (262) 763-0147

www.ldvusa.com

Item Qty

12.16	1	Shore Power adaptor cord 10' Cord to go from 50-amp to 100-amp (plugs into 25-ft shore power cord)
12.17	20	20A-125Vac duplex receptacle with dual USB charging ports - One (1) A and One (1) C Receptacle is not dedicated to any installed equipment. NOTE: <ul style="list-style-type: none"> • One (1) in the Raceway at each Workstation 1-5 = 5 • Two (2) in Room 1 Streetside Slide Out in Bench Seat Base • Two (2) at Countertop in Room 1 Curbside Slide Out • Four (4) in Room 1 in Conf. Table Base • Four (4) in Room 3 in Table Base • One (1) additional at each Workstation 1 and 5 (in Raceway under Radio Tree) = 2 • One (1) in the Cab Console
12.18	2	20A-125Vac interior duplex receptacle. NOTE: <ul style="list-style-type: none"> • Two (2) in the Closet in Room 2 – for Body Cameras or Radio Chargers
12.19	2	20A-125Vac interior GFCI duplex receptacle. NOTE: <ul style="list-style-type: none"> • One (1) in the Lavatory • One (1) in the Exterior Workstation
12.20	4	20A-125Vac exterior GFCI duplex receptacle installed with weatherproof covers NOTE: <ul style="list-style-type: none"> • Two (2) will be mounted on the Streetside – one near the front and one near the rear • Two (2) will be mounted on the Curbside – one near the front and one near the rear
12.21	1	30A-125Vac exterior GFCI twist lock outlet installed with weatherproof cover NOTE: This will be installed on curbside – towards the front of the body
12.22		Wire chase wire management raceway system located as shown on drawing. Product features: <ul style="list-style-type: none"> • Satin anodized finish. The finish resists rust, corrosion and fading. Material extruded from 6063-T5 aluminum alloy. • Removable dual cover. Makes wiring easy and accessible and provides maximum flexibility for adding or relocating outlets and circuits. • UL Listed multioutlet assemblies. File E68073 Guide PVGT, Fittings: File E121188 Guide RJPR. Meets Article 380 of NEC and meets Section 12-3032 of CEC. • UL and cUL Listed component raceways. File E73943 Guide RJBT, Fittings: File E74343 Guide RJPR. Meets Article 386 of NEC and meets Section 12-600 of CEC. • UL5 and ADA compliant. Raceway and fittings meet UL5 specifications and can be installed in conformance with ADA requirements



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item	Qty	
12.23	2	<p>APC Smart-UPS 3,000VA rack mount UPS, SRT3000RMXLA</p> <p>Product features:</p> <ul style="list-style-type: none"> • 3,000VA/2,700W output capacity • 120V output voltage • (8) NEMA 5-20R and (1) NEMA L5-30R output receptacles • Typical Backup Time at Half Load 19.2 minutes (1125 Watts) • Typical Backup Time at Full Load 5.7 minutes (2250 Watts) • Dimensions: 3.35"H x 17"W x 25"D <p>NOTE:</p> <ul style="list-style-type: none"> • One (1) will be for powering the Rack Mounted Items This UPS will be located in the Network A/V Rack (Rear Rack) • One (1) will be for Powering the Red Outlets This UPS will be located in the Radio Rack (Forward Rack)
12.24	2	<p>APC Smart-UPS X battery pack for extended runtime</p> <p>NOTE:</p> <ul style="list-style-type: none"> • One (1) Battery Pack will be connected to each of the UPS units
12.25	7	<p>Red specification grade 20A-125Vac duplex receptacle with stainless steel wall plate. These receptacles are powered by a UPS</p> <p>NOTE:</p> <ul style="list-style-type: none"> • One (1) at each Workstation 2, 3, and 4 – for the Computer and the Monitor • Two (2) at each Workstation 1 and 5 – for both Computers and both Monitors
12.26	1	<p>Will-Burt Night Scan NS2.3-600WHL (or current model) 120Vac light tower.</p> <p>Includes:</p> <ul style="list-style-type: none"> • Four (4) Pioneer x 150-watt LED Spot/Flood light (PFP2ASF) • Hand held (wired) remote control • 50ft control cable <p>NOTE:</p> <p>Remote mounted in Streetside Rear Compartment – on the rear wall of compartment</p>
12.27		<p><u>AC WIRING REQUIREMENTS:</u></p> <ul style="list-style-type: none"> • All AC main wiring shall be stranded THHN wire and run in non-metallic liquid tight conduit. • All AC branch circuit wiring shall be stranded THHN wire (AWG 12 minimum) and run in non-metallic liquid tight and ENT conduit. • All electrical circuits and appliances shall conform to applicable national electrical codes.



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item	Qty	
13.00		DC ELECTRICAL SYSTEM:
13.01		<p>Six (6) absorbed glass mat (AGM) 6Vdc batteries.</p> <ul style="list-style-type: none"> • Batteries shall be installed in an underbody compartment on a slide out tray. • Four (4) batteries will be separated for auxiliary equipment • Two (2) batteries will be for communications equipment. <p>Three (3) electronic converter/chargers, 80-amp minimum output each.</p> <p>Converter/charger features:</p> <ul style="list-style-type: none"> • Charges three banks of batteries at the same time. • Manual reset circuit breaker. • Reverse battery protection. • Electronic current limiting. • High voltage protection. <p>All DC electrical and metering switched and monitored through the multiplex control system.</p>
13.02	1	Sure Power 2403 isolator
13.03	23	Light, Orion 6" LED, neutral white with polished bezel and voltage regulation.
13.04	11	Light, Orion 6" LED, neutral white / red with polished bezel and voltage regulation.
13.05	6	<p>Whelen M9LZC Gradient LED Scene Light with chrome flange.</p> <p>NOTE:</p> <p>These are the upper-level scene lights</p> <ul style="list-style-type: none"> • Three (3) will be mounted on each side wall <p>There will be Two control buttons for these lights (Streetside and Curbside).</p>
13.06	2	<p>Whelen M6ZC Gradient LED Scene Light with clear outer lens and M6FC chrome flange.</p> <p>NOTE:</p> <p>These are the upper-level scene lights</p> <ul style="list-style-type: none"> • Two (2) will be mounted on the rear wall <p>There will be One control button for these lights.</p>
13.07	8	<p>Whelen PEL2C LED light with chrome housing.</p> <p>NOTE:</p> <p>These are the lower level (bottom of skirting) ground lights</p> <ul style="list-style-type: none"> • Three (3) will be mounted on each side • Two (2) will be mounted on the rear bumper <p>There will be Three control buttons for these lights.</p>
13.08	5	<p>12VDC dual USB power port.</p> <p>NOTE:</p> <ul style="list-style-type: none"> • One (1) in Cab Dash or Console (added if not already installed from factory) • Four (4) in the Exterior Workstation



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item	Qty	
13.09		<p>12VDC WIRING REQUIREMENTS:</p> <ul style="list-style-type: none"> • 2-gauge minimum copper stranded battery cable shall be used for 12Vdc main supply lines. All cable runs shall be full length, no splices. All cable terminals shall be staked and soldered. All cable shall be enclosed in convoluted polyethylene tubing and the ends of the cable shall be sealed with color-coded shrink-wrap identifying the function of the cable. • All added electrical branch circuits shall be protected from over-current by resettable circuit breakers appropriately rated for the load. Only circuit breakers shall be used in the installation of added electrical branch circuit wiring (plug type fuses are unacceptable). • Circuit breaker functions shall be identified by engraved or printed labels. • All added wiring for load runs of AWG 10, 12, 14, and 18, shall conform to MIL-W-16878/2 and/or UL1007/1569" • All added wiring for load runs of AWG 8, shall conform to MIL-W-16878/3 and/or UL1028 • Wire terminals for added circuits must conform to MIL-T-7928. Terminals shall be insulated, insulation grip, TYPE II, CLASS 2 and shall be crimped with tooling recommended by the terminal manufacturer. • All wiring shall be numbered or lettered on 6" centers minimum. • Wiring shall be protected from chafing and abrasion with convoluted polyethylene tubing (wire loom) as required. • Where wire passes through sheet metal, bulkheads and structural supports, plastic grommets shall be used to protect both wiring and wire looms. • All wire bundles shall be tied with trimmed nylon ties. • Extreme care shall be exercised to provide for easy serviceability of the system in future. • Extreme care must be taken in the installation to avoid the engine manifold, engine exhaust, and muffler, which could expose the wiring to severe overheating during long periods of operation. Proper insulation and heat deflection panels must be installed in such areas. • A high-current 12Vdc system wiring schematic shall be provided. <p>These are the minimum acceptable 12Vdc wiring requirements.</p>
14.00		EMERGENCY LIGHTING / SIRENS:
14.01	1	<p>Whelen 295SLSA6 siren with 9 low current lighting control switches. Siren is California Title 13 compliant.</p> <p>NOTE: Slider Bar Lighting Controls:</p> <ul style="list-style-type: none"> • Position 1: Rear Wall Uppers and Lower • Position 2: Adds in the Lightbar and all Grille and hood lights • Position 3: Turns on all Lights, Siren and Wig/Wags <p>If the Parking Brake is applied with the Siren Controller still in Position 3, the Siren and Wig/Wags will be De-Activated</p>
14.02	1	Whelen SA315P high performance speaker.
14.03	1	Freightliner Chassis shall be Ordered to include Programming for the Headlight Flashers (Wig/Wags)



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item	Qty	
14.04	2	Whelen ION-T- Series, TLIR, Linear Super-LED lighthouse with internal flasher Red LEDs with clear outer lens Ordered with TIONFC chrome flange. NOTE: One Red Light on Driver's side of Grille to be set to Steady Burn
14.05	2	Whelen ION-T- Series, TLIB, Linear Super-LED lighthouse with internal flasher Blue LEDs with clear outer lens Ordered with TIONFC chrome flange.
14.06	4	Whelen M6 Series, M6RC, Linear Super-LED lighthouse with internal flasher Red LEDs with Clear outer lens. Ordered with M6FC chrome flange.
14.07	4	Whelen M6 Series, M6BC, Linear Super-LED lighthouse with internal flasher Blue LEDs with Clear outer lens. Ordered with M6FC chrome flange.
14.08	1	Whelen M7 Series, M7RC, Linear Super-LED lighthouse with internal flasher Red LEDs with Clear outer lens. Ordered with M7FC chrome flange.
14.09	1	Whelen M7 Series, M7RB, Linear Super-LED lighthouse with internal flasher Blue LEDs with Clear outer lens. Ordered with M7FC chrome flange.
14.10	4	Whelen M9 Series, M9RC, Linear Super-LED lighthouse with internal flasher Red LEDs with Clear outer lens. Ordered with M9FC chrome flange.
14.11	4	Whelen M9 Series, M9BC, Linear Super-LED lighthouse with internal flasher Blue LEDs with Clear outer lens. Ordered with M9FC chrome flange.
14.12	1	Whelen L31HGF (or current model) Green LED command beacon NOTE: Mounted on front – center of antenna raceway Controlled by a button on the multiplex control system.
15.00		AUDIO / VIDEO:
15.01	3	Samsung - 43" Q60-series (current model) QLED TV with wall mount bracket. NOTE: • Two (2) in the Streetside Front Slide Out • One (1) in the Curbside Front Slide Out Connections will be: • HDMI 1 – Matrix Switcher • RF – Over the Air Antenna • RJ-45 – Cat-6 Cable run to Network Patch Panel in Rack (Patched to Network Switch)



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item	Qty	
15.02	1	<p>Samsung - 65" Q80-series (current model) QLED TV with wall mount bracket</p> <p>NOTE:</p> <ul style="list-style-type: none"> • Located on the Front Wall <p>Connections will be:</p> <ul style="list-style-type: none"> • HDMI 1 – Matrix Switcher • HDMI 2 – Input Jack in Conference Table Base (Direct Run for Private Room Use) • HDMI 3 – Feed from Cisco Webex Room Bar • RF – Over the Air Antenna • RJ-45 – Cat-6 Cable run to Network Patch Panel in Rack (Patched to Network Switch)
15.03	1	<p>Samsung 55" The Terrace Partial Sun Outdoor Black QLED 4K Smart TV QN55LST7TAFXZA Includes a Samsung The Terrace Outdoor Soundbar w/ Dolby 5.1ch HW-LST70T.</p> <p>NOTE:</p> <ul style="list-style-type: none"> • Located in Exterior Workstation <p>Connections will be:</p> <ul style="list-style-type: none"> • HDMI 1 – Matrix Switcher • RF – Over the Air Antenna • RJ-45 – Cat-6 Cable run to Network Patch Panel in Rack (Patched to Network Switch)
15.04	1	<p>Weatherproof single door exterior work station and TV/monitor compartment. Constructed from 0.125" aluminum with all welded seams and hinged at the top. Includes:</p> <ul style="list-style-type: none"> • Internal flip down work surface – cables hold shelf flat (not angled down) • LED strip light (illuminates when door is opened) • Gas charged lift support and locking latch
15.05	1	<p>Cisco Webex Room Bar (CS-BAR-T-C-K9) video conferencing device</p> <p>NOTE:</p> <p>Mounted on Front Wall with HDMI Output Connections to 65" Television on Front Wall Input Connections (HDMI and USB-C) located in Conf Table Base – Front Leg</p>
15.06	1	<p>Axis Communications four camera perimeter surveillance system.</p> <ul style="list-style-type: none"> • One (1) – Front View • One (1) – Rear View • One (1) – Left Side View • One (1) – Right Side View <p>Includes:</p> <ul style="list-style-type: none"> • One (1) Axis F9114 main unit to connect up to 4 camera sensors • Four (4) Axis F2105-RE standard sensor • One (1) Axis D1110 video decoder to display cameras in a quad view
15.07	2	256GB SD Memory Cards - installed into the Axis F9114 for recording the Perimeter Cameras
15.08	1	Apple TV 4K Wi-Fi + Ethernet with 128GB storage This will be an Input into the Matrix Switcher
15.09	2	Extron ShareLink Pro 2000 4K Wireless Presentation System. These will be Inputs into the Matrix Switcher



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986

Fax: (262) 763-0156

Direct: +1 (262) 763-0147

www.ldvusa.com

Item	Qty	
15.10	2	Contemporary Research HDTV Tuner (232-ATSC 4K) These will be Inputs into the Matrix Switcher
15.11	1	HDMI Input Wall Jack to the Matrix Switcher. HDMI loop-thru with feed to PC and to the Extron Matrix Switcher. NOTE: Located at the forward PC in the curb side rear work station.
15.12	9	Extron DTP3 T 202 EU/MK - Two Input 4K/60 DTP3 Transmitters for USB-C and HDMI NOTE: The USB-C connection requires a special cable that is <u>Display Port Alt Mode</u> capable. The port does not provide charging. Eight of these will be Inputs into the Matrix Switcher: <ul style="list-style-type: none"> • One (1) in the Front Conf Table Base • One (1) at the Countertop in Room 1 Curbside Slide Out • One (1) at Workstation 3 • One (1) at Workstation 4 • One (1) in the Rear Room Table Base • One (1) in the Exterior Workstation • One (1) in the Streetside Input Box – Front Slide Out Two of these will be for direct runs (these two require an Extron power supply 28-327-07LF): <ul style="list-style-type: none"> • One (1) in the Front Conf Table Base to front wall TV (HDMI 2) • One (1) in the Front Conf Table Base to Webex
15.13	1	Extron DXP 1616HD 4K PLUS 16X16 HDMI Matrix Switcher. NOTE: <u>Inputs</u> (16 Used – 0 Open) <ul style="list-style-type: none"> • One (1) Perimeter Camera Decoder – set to Quad Screen Multiview • Two (2) Mast Cameras • One (1) Apple TV Device • Two (2) Extron Sharelink Devices • Two (2) Contemporary Research TV Tuners • One (1) HDMI / USB-C Input Jacks in the Front Conf Room Table Base • One (1) HDMI / USB-C Input Jacks at the Countertop in Room 1 Curbside Slide Out • One (1) HDMI / USB-C Input Jacks at Workstation 3 • One (1) HDMI / USB-C Input Jacks at Workstation 4 • One (1) HDMI / USB-C Input Jacks in the Rear Room Table Base • Two (2) HDMI / USB-C Input Jacks in the Exterior Workstation • One (1) in the Streetside Input Box – Front Slide Out <u>Outputs</u> (9 Used – 7 Open) <ul style="list-style-type: none"> • Three (3) 43" Televisions in Front Conf Room • One (1) 65" Television on the Front Wall • One (1) 55" Television in the Exterior Workstation



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986

Fax: (262) 763-0156

Direct: +1 (262) 763-0147

www.ldvusa.com

Item	Qty	
		<ul style="list-style-type: none"> • Two (2) Room 3 - Dispatch Monitors (Upper Monitor HDMI 2 Input at each Dispatch Station) • Two (2) Outputs to Room 2 - Center Dual Monitor between Workstations 3 and 4 LDV to Provide all Extron Power Supplies / Rack Mount Shelves and Connection Cables as Needed.
15.14	3	Extron TLP Pro 725M – 7" Wall Mount TouchLink Pro Touchpanel for Remote Control of Extron Matrix Switcher Includes custom programming NOTE: <ul style="list-style-type: none"> • One (1) Touchpanel in Front Conference Room – on Front Wall • One (1) Touchpanel in Rear Dispatch Room • One (1) Touchpanel in Exterior Workstation
15.15	1	Extron IPCP Pro xi Control Processor for TouchLink Pro touchpanels.
15.16	1	Winegard Rayzar automatic terrestrial TV antenna. Scans 16 quadrants in just 2 minutes and will point towards the greatest amount of channels. Quickly toggle between broadcasts from different locations with the press of a button.
15.17	1	Distribution Amplifiers as needed to send Over-the-Air signal from Antenna to all Televisions
15.18		All RF cable for DSS antenna systems (when specified) shall be Belden #9116 series 6 broadband coaxial cable. All other video cabling shall be Belden #1505A RG-6/U precision video cable.
16.00		MAST AND MAST MOUNTED EQUIPMENT:
16.01	1	Fireco 2300 series CX.4003N heavy-duty non-locking telescoping pneumatic mast. Mast features: <ul style="list-style-type: none"> • 187 lb. max top load capacity • 38' 9" extended height • 6' 9" nested height Includes: <ul style="list-style-type: none"> • KEY-WAY breakaway nylon key prevents tower rotation. Easily replaceable. • Air safety valve for over pressure release and condensation drainage. • Water drainage holes to avoid freezing at low temperatures. • Interlock to prevent vehicle from being driven with mast raised. • Fireco tower does not require routine lubrication. • Mast cap covers the top of all tower sections when the tower is in the retracted position keeping dirt and moisture out of the tower when stowed.
16.02	1	Gast 3/4-hp compressor with remote mount 5-gallon air tank.
16.03	1	Weatherproof mast up/down control switch on exterior of vehicle.
16.04	1	Mast lookup light mounted on mast.
16.05	1	Custom fabricated 0.125" aluminum Nycoil cylinder painted to match body color. NOTE: Nycoil will be 1" diameter
16.06	1	Custom fabricated 0.125" aluminum mast cover painted to match body color.
16.07	1	Custom fabricated bracket on mast to mount two individual camera systems.



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986

Fax: (262) 763-0156

Direct: +1 (262) 763-0147

www.ldvusa.com

Item	Qty	
16.08	4	LED red micro strobe warning light mounted on mast. Light shall illuminate when mast is raised. NOTE: Lights will be installed One (1) on each side of the mast top box
16.09	2	Axis Q6318-LE PTZ Dome Network Camera • 4K UHD and 31x optical zoom • Axis Sharpdome technology with Speed Dry • Optimized IR with power-efficient, long-life 850 nm IR LEDs, range of reach 300 m (984 ft) or more depending on the scene • Built-in laser that provides laser focus for precise focus and quick-zoom functionality, it allows you to easily follow fast-moving objects
16.10	2	Axis D1110 4K Video Decoder NOTE: Each will send a mast camera feed to the Matrix Switcher as a separate Input into the Switcher
16.11	2	256GB SD Memory Cards - installed into the Axis Q6318-LE Cameras for recording the Mast Camera Feeds
17.00		RADIOS:
17.01		Primary 12Vdc power leads for communications radios shall be minimum 2-gauge copper stranded wire with soldered crimp-on end connectors (gauge based on radio requirements). Cables shall be enclosed in convoluted tubing and function identified with colored shrink-wrap. Power to radios shall be controlled by a continuous-duty switch actuated by the auxiliary battery disconnect switch.
17.02	8	Install Customer Provided Motorola APX-8500 Remote / Dual Head Radios. Installation includes: • One (1) NMO-style base on the roof or antenna raceway • LMR195 antenna cable routed to the Forward Electronics Rack in Carlon Carflex ENT conduit. • 12Vdc power routed to the Forward Electronics Rack. NOTE: All Radio Transceivers will be mounted in the Forward Electronics Rack – on a single rack mount shelf – see customer provided drawing. Radio head power will be set up to shut down 30 seconds before the transceivers. The Radio Heads will be located at the following locations: • Two (2) in the Cab Console (G1 and H1) • Three (3) at Workstation 1 – Dispatch Workstation (A1, B1, and C1) • Three (3) at Workstation 2 – Front Conf Room Workstation (D1, E1, and F1) • Three (3) at Workstation 5 – Dispatch Workstation (A2, B2, and C2) • Two (2) in Exterior Workstation (G2 and H2)



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986

Fax: (262) 763-0156

Direct: +1 (262) 763-0147

www.ldvusa.com

Item	Qty	
17.03	8	Install customer provided combo NMO/GPS antenna mounts. LDV will provide FME extension cables as needed. Panorama Antennas GPSNMO-FF with Laird TRAB24003..
17.04	14	Install Magnetic Microphone adaptor/clip for all mobile two-way radios and siren mic. NOTE: <ul style="list-style-type: none"> • One (1) for Siren Microphone • One (1) for each Radio Microphone
17.05	1	Fabricate and install 3" x 3" square aluminum tubing antenna raceway on the roof of the body and will penetrate the roof on each side of the truck at radio box locations. Includes: <ul style="list-style-type: none"> • 3" high x 3" long aluminum access cover at each antenna base location on the side of the tubing for access to antenna base and coax cable. • Access covers with watertight gasket and attached with four (4) stainless steel machine screws. Raceway tube to have nut-serts installed for access cover attachment. • Carlon Carflex ENT conduit routed from antenna raceway penetration location to radio transceiver locations.
17.06	1	Fabricate and install a 3" x 6" aluminum tubing antenna raceway on the roof of the body for the five CradlePoint R2100 units.
17.07	2	Corner Mounted Radio Trees for Three (3) Radio Heads and Speakers NOTE: <ul style="list-style-type: none"> • One (1) in each Rear Slide Out – Dispatch Workstations 1 and 5
18.00		COMPUTER NETWORK AND EQUIPMENT:
18.01	52	RJ-45 Cat6 computer network jack with Cat6 cable routed through Carlon Flex-Plus ENT conduit or raceway (as applicable). NOTE: <ul style="list-style-type: none"> • One (1) in the Cab Console • Two (2) at Workstation 2 – one on Left and one on Right • One (1) additional in the Curbside Front Slide Out – Corner above the Refrigerator • Four (4) in the Front Conf. Room Table Base • Two (2) in the Streetside Front Slide Out in Bench Seat Base • One (1) at each Workstation 3 and 4 • One (1) centered between Workstations 3 and 4 • Two (2) in the Closet in the Center Room • Two (2) at each Workstation 1 and 5 – one on the Left and one on the Right • Four (4) in the Rear Dispatch Room Table Base • Seven (7) for installed Computers • Five (5) for installed Docking Stations • One (1) for installed Printer



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986

Fax: (262) 763-0156

Direct: +1 (262) 763-0147

www.ldvusa.com

Item	Qty	
		<ul style="list-style-type: none"> • One (1) for installed Phone at each Workstation 1 and 5 • One (1) for installed Phone in Exterior Workstation • Two (2) for Walk-up Connectivity in Exterior Workstation • Two (2) in the Exterior Input Box (Streetside Front Slide Out). • One (1) for each of the Two Installed Wireless Access Points • Two (2) Spare runs up to Mast Top Box • One (1) run to each 43" Television • One (1) run to the 65" Television • One (1) run to the 55" Television
18.02	2	Leviton 69270-U48 (or current model) 48-port Cat6 rack mount patch panel.
18.03		Certified 18" Cat6 patch cord. As Required.
18.04		Certified 36" Cat6 patch cord. As Required.
18.05	1	Cable Certification Report confirming that network wiring complies with Cat6 specifications.
18.06	1	Palo Alto 450R Firewall (PA-450R-5G) Firewall ordered with: Palo Alto Government Maintenance (PAN-PA-450R-ATP) Palo Alto ATP License (PAN-SVC-PREMUSG-450R)
18.07	2	Cisco Catalyst (9200L-48P-4X) 48-port PoE+ Gigabit Managed Network Switch with SFP+
18.08	1	Cisco Meraki MR46 Indoor Wireless Internet Access Point Includes Cisco Meraki MR Series Enterprise – subscription license (5-years) NOTE: This Wireless Access Point will be installed in the Front Conference Room.
18.09	1	Cisco Meraki MR86 Outdoor Wireless Internet Access Point Includes Cisco Meraki MR Series Enterprise – subscription license (5-years) Ordered with Two (2) Meraki MA-ANT-20 Antennas NOTE: This Wireless Access Point will be installed in Electronics Rack area with the Four (4) Antennas being installed on the Antenna Raceway. (Antenna cabling will need to be LMR-400).
18.10	5	CradlePoint R2100 Ruggedized all-in-one 5G, SD-WAN, and security appliance Ordered with 1-year of NetCloud Service These will be mounted on the separate dedicated antenna raceway.
18.11	3	Install Customer Provided Verizon IP Phone NOTE: <ul style="list-style-type: none"> • One (1) will be Wall Mounted at Workstation 1 – under Radio Tree • One (1) will be Wall Mounted at Workstation 5 – under Radio Tree • One (1) will be Wall Mounted in the Exterior Workstation
18.12	1	HP Color LaserJet Enterprise MFP M480f Mounted on Slide Out Tray



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
 Burlington, WI 53105 USA
 Phone: 800-558-5986
 Fax: (262) 763-0156
 Direct: +1 (262) 763-0147
 www.ldvusa.com

Item	Qty	
18.13	7	<p>Dell OptiPlex Micro Form Factor Computer (Ordered per Customer Specifications). Computers will include a 5-year Warranty Install includes mount and Dual USB cables run from computer to wall plate.</p> <p>NOTE:</p> <ul style="list-style-type: none"> • One (1) Mounted under Countertop at each Workstation 1 and 5 (mounted on the Left) and connected to the Lower Monitor There will be One (1) HDMI Cable from the Computer to HDMI 1 Input on the Monitor There will be One (1) DP Cable from the Computer to the DP Input on the Monitor • One (1) Mounted under Countertop at each Workstation 1 and 5 (mounted on the Right) and connected to the Upper Monitor There will be One (1) HDMI Cable from the Computer to HDMI 1 Input on the Monitor • One (1) Mounted under the Countertop at Workstation 2 There will be One (1) HDMI Cable from the Computer to HDMI 1 Input on the Monitor There will be One (1) DP Cable from the Computer to the DP Input on the Monitor • One (1) Mounted under the Countertop at each Workstation 3 and connected to the Left 28" Monitor There will be One (1) HDMI Cable from the Computer to HDMI 1 Input on the Monitor There will be One (1) DP Cable from the Computer to the DP Input on the Monitor • One (1) Mounted under the Countertop at each Workstation 4 and connected to the Right Monitor There will be One (1) HDMI Cable from the Computer to HDMI 1 Input on the Monitor There will be One (1) DP Cable from the Computer to the DP Input on the Monitor
18.14	5	<p>Microsoft Surface Docking Station (T81-00001)</p> <p>NOTE:</p> <ul style="list-style-type: none"> • One (1) located at each Workstation 1-5 Docking Stations connected to the Monitors using a USB-C cable At Workstations 1 and 5, the Docking Station will be connected to both Monitors
18.15	5	<p>Logitech MX Keys S Combo Keyboard and Mouse (920-010923)</p> <p>NOTE:</p> <ul style="list-style-type: none"> • One (1) for each Docking Station.



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item	Qty	
18.16	5	<p>LG 49" Dual QHD Curved Ultra-Wide Monitor (49BQ95C)</p> <p>NOTE:</p> <ul style="list-style-type: none"> • One (1) at Workstation 2 <p>Inputs will be:</p> <ul style="list-style-type: none"> ▪ HDMI 1 Input – from Computer ▪ Display Port – from Computer ▪ USB-C – from Docking Station <ul style="list-style-type: none"> • One (1) at each Workstation 1 and 5 – Lower Monitor <p>Inputs will be:</p> <ul style="list-style-type: none"> ▪ HDMI 1 Input – from Left Computer ▪ Display Port – from Left Computer ▪ USB-C – from Docking Station <ul style="list-style-type: none"> • One (1) at each Workstation 1 and 5 – Upper Monitor <p>Inputs will be:</p> <ul style="list-style-type: none"> ▪ HDMI 1 Input – from Right Computer ▪ HDMI 2 Input – from Matrix Switcher ▪ USB-C – from Docking Station
18.17	3	<p>LG 28" Dual Up Monitor (28BQ780)</p> <p>NOTE:</p> <ul style="list-style-type: none"> • One (1) at Workstation 3 <p>Inputs will be:</p> <ul style="list-style-type: none"> ▪ HDMI 1 Input – from Computer ▪ Display Port – from Computer ▪ USB-C – from Docking Station <ul style="list-style-type: none"> • One (1) at Workstation 4 <p>Inputs will be:</p> <ul style="list-style-type: none"> ▪ HDMI 1 Input – from Left Computer ▪ Display Port – from Left Computer ▪ USB-C – from Docking Station <ul style="list-style-type: none"> • One (1) between Workstations 3 and 4 <p>Inputs will be:</p> <ul style="list-style-type: none"> ▪ HDMI 1 Input – from Matrix Switcher ▪ HDMI 2 Input – from Matrix Switcher
18.18	1	<p>Starlink Flat High-Performance Kit with Wedge Mount SLK-FHP.</p> <p>Includes:</p> <ul style="list-style-type: none"> • Power Supply and Mount • Starlink Cable - 25 m (82 ft) • AC Cable (Power Supply) - 1.8 m (6 ft) <p>NOTE:</p> <p>Ordered with Starlink Router add-on.</p>



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item	Qty	
18.19	2	LC - Single Mode Fiber Duplex Input Jack/Cable run to a Patch Panel in the Network Rack NOTE: <ul style="list-style-type: none"> • One (1) located in the Exterior Workstation • One (1) located in the Exterior Input Box (Streetside Front Slide Out).
19.00		MISCELLANEOUS ELECTRONICS:
19.01	1	Columbia Weather Systems Magellan MX500 weather station with LCD touch screen display. System includes the following: <ul style="list-style-type: none"> • All-in-one multi-parameter sensor housed in a self-aspirating radiation shield • Temperature Sensor • Relative Humidity Sensor • Digital Barometer • Relative humidity probe. • Ultrasonic wind direction & speed sensor with mounting adapter • Automatic self-alignment of wind direction using internal compass • Internal GPS • WeatherMaster™ software: Graphical weather monitoring software for Windows operating environment; displays, reports, and records current weather conditions. Reading's data logged in Access database for future analysis and inclusion with other Windows-based programs. Internet capable, alarm notification program, and multi-station viewing features. Also includes ability to interface with Cameo/Aloha for plume modeling. • Touch screen LCD Color Weather Display Console™ • Displays real-time weather readings on four viewing screen views: Main, Aux, Trend and Min/Max. • Sensor mounted on FRC Kwik Raze KR-SB-500-I bottom raise pole. Pole has quick release handle that enables the pole to be raised approx. 24" above the roof NOTE: <ul style="list-style-type: none"> • Kwik Raze Pole for Sensor mounted on Driver's side of Front Wall • Includes a Panel Mount for the LCD Console Screen.
19.02	2	Middle Atlantic Products, Inc. MRK-4026 forty-space 19" wide x 26.5" depth (24" useable depth) open framed electronics equipment rack with caster base. Rack can easily slide out from its fixed position to allow side access to rack equipment.
19.03	2	Middle Atlantic VFD-40 Vented front door with Thumb Latch (No Key Lock).
19.04	2	Middle Atlantic MW-4QFT-FC top fan panel, with four (4) 50 cfm ventilation fans, QFAN.
19.05	6	Middle Atlantic PD-815SC-NS 15-amp power strip with eight (8) outlets. Includes PB-XS rack mounting bracket.
19.06	2	2" box pan door and door frame fabricated from 0.125" aluminum installed in body to allow exterior access to Middle Atlantic equipment rack. Includes the following: <ul style="list-style-type: none"> • Agas spring to hold door open • Two door activated LED stripe light to illuminate the rack • A custom fabricated Pass-through Door built into the Rack Access Door with Friction Hinges to allow door to stay open as needed.



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item	Qty	
19.07	3	Cast Products EB00013-1 cast aluminum weatherproof box with key lock. NOTE: <ul style="list-style-type: none"> • One (1) will be in the Streetside Front Slide Out – this will be an Input Box and have a Pass Through to the Interior • One (1) will be in the Curbside Wall in the Cetner Room – this will be a Pass Through to the Interior under the Countertop • One (1) will be in the Streetside Rear Slide Out – this will be a Pass Through to the Interior under the Countertop
19.08	3	Shroud with weatherproof pass-through hatch installed in the door of the input box.
19.09	3	Exterior input box door painted to match body.
20.00		EXTERIOR COMPARTMENTS:
20.01	1	Single fold down door - underbody compartment Constructed from 0.125" aluminum with all welded seams. Interior dimensions 20" high x 40" wide x 25" deep NOTE: Located Streetside behind the Rear Wheels. Will be used for the Mast Compressor/Valves and Nightscan Controller Compartment will also include Divider and Space for the Leveling System Pads
20.02	1	Single fold down door - underbody compartment Constructed from 0.125" aluminum with all welded seams. Interior dimensions 20" high x 48" wide x 25" deep NOTE: Located Curbside under Front Slide Out. Open for Customer Storage
20.03	1	Single fold down door - underbody compartment Constructed from 0.125" aluminum with all welded seams. Interior dimensions 20" high x 32" wide x 25" deep NOTE: Located Curbside under Front Slide Out. Will be used for the Aux. Batteries on a Slide Out Tray.
20.04	1	Single fold up door - underbody compartment Constructed from 0.125" aluminum with all welded seams. Interior dimensions 20" high x 54" wide x 25" deep NOTE: Located Curbside under the Side Entry Door/Steps. Will be used for the Power Converters and Slide Out Pump & Valves.



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item	Qty	
20.05	1	<p>Single fold down door - underbody compartment Constructed from 0.125" aluminum with all welded seams. Interior dimensions 22" high x 42" wide x 25" deep</p> <p>NOTE: Located Curbside behind the Rear Wheels. This compartment will be below the bottom of the skirting – 2" below Will be used for the Dometic Cooler.</p>
20.06		<p>Compartments listed above will be constructed to the following specifications:</p> <ul style="list-style-type: none"> • Sweep out type bottoms with 1/2" drain holes. • 2" box pan doors and door frames fabricated from 0.125" aluminum. • Door frames shall be riveted to the body and welded to the compartments. • Compartments shall have an LED light that illuminates when the door is opened. <p>Compartment doors will be constructed to the following specifications:</p> <ul style="list-style-type: none"> • Stainless steel hinges attached with stainless machine screws. • Slam latches and flush mounted handles. • 0.100" aluminum diamond plate on interior surfaces fastened with stainless hardware. • All doors shall be sealed with industrial grade neoprene gasket. <p>NOTE: All storage areas shall have Dri-Decking.</p>
21.00		MISCELLANEOUS OTHER:
21.01	1	<p>Girard Nova motorized retractable lateral arm awning. Awnings features:</p> <ul style="list-style-type: none"> • Dual-pitch awning with up to three lateral arms for superior strength, • AC electric powered motor with crank handle/manual override • Sensor that will retract the awning to prevent damage from the wind <p>NOTE: Awnings shall be ordered Black in color Awnings shall include Charcoal Grey (4644) Material.</p>
21.02	1	Girard awning LED light kit. G-Lite Awning Lighting system is an LED light strip in the outer rail to illuminate area under awning.
21.03	1	Removable Sun Screen /Security Drape with magnets for Girard Nova Awning.
21.04	1	<p>15" wide roof access ladder mounted on rear. Ladder features:</p> <ul style="list-style-type: none"> • All welded construction for maximum strength • 1" diameter X 0.083" brush finished tubular aluminum rails • Aluminum grip-strut rungs <p>NOTE: Includes Single Step Mounted on Rear Bumper</p>



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item	Qty	
21.05	1	<p>Heavy-duty Quadra Mfg. Bigfoot® four point fully automatic one-touch leveling system.</p> <p>Includes:</p> <ul style="list-style-type: none"> • Four (4) QEII-26 jacks with 17,000-lb. capacity each, 26" long with 20" stroke • Air ride dump valve • Safety interlock when jacks are deployed
21.06	1	Upgrade to 14" Heavy Duty Foot Pad Quadra Mfg. Bigfoot® jacks.
21.07	1	<p>Set of four Super Dolly Pads high density polypropylene, yellow colored for use with leveling system jacks. Pad's measure 15" x 17" x 1" thick with a grab strap on one side.</p> <p>NOTE: Pads will be shipped loose in the vehicle.</p>
21.08	2	<p>5-pound dry chemical fire extinguisher.</p> <p>NOTE:</p> <ul style="list-style-type: none"> • One (1) mounted in Cab – On top of Console at the Back Wall of Cab • One (1) mounted inside Side Entry Door
21.09	4	Battery powered combination Carbon Monoxide and Smoke alarm.
21.10	1	<p>Dometic 75L – 12 Volt - Dual Zone Portable/Electric Cooler (CFX3 75DZ).</p> <p>NOTE:</p> <ul style="list-style-type: none"> • Cooler located in Curbside Rear Compartment • Compartment to include power for cooler – with coil cord so cooler can be brought out and placed on ground while still having power. • Cooler mounted on a slide tray to allow for easier unloading of the cooler..
21.11	1	<p>Complete manual set, including the following (as applicable):</p> <ul style="list-style-type: none"> • As-built specifications with interior and exterior drawings as used for production of the vehicle. • Chassis and body owner's manuals. • 12Vdc and 120Vac legends showing wire gauge, color, number and function. • 12Vdc high current wiring diagram illustrating the battery system, isolators, power converters, alternator, disconnect switches and control panels. • Roof top antenna placement drawing and legend identifying antenna placements and termination points. • Audio/Video cabling diagram. • Chassis and generator maintenance and service logs. • Battery maintenance information. • All individual component manuals and warranty registration cards as provided by component manufacturers. • Customer is responsible for completing warranty cards and mailing them to manufacturers.



CUSTOM SPECIALTY VEHICLES

180 Industrial Drive
Burlington, WI 53105 USA

Phone: 800-558-5986
Fax: (262) 763-0156
Direct: +1 (262) 763-0147
www.ldvusa.com

Item	Qty	
21.12	1	<p>Upon delivery, an LDV representative will provide up to eight (8) hours of orientation on LDV provided systems, as applicable:</p> <ul style="list-style-type: none"> • Generator start up and shut down procedure • Leveling system operation • AC and DC electrical systems operation • HVAC systems operation • Mast operation • Audio/Video system operation, does not include programming DVR's, TV's, etc. • Awning operation
21.13	8	<p>Inspection/training trip to manufacturer facilities. Includes roundtrip airfare, car rental, and lodging.</p>
21.14		<p>LDV warranty of one (1) year/12,000 miles, whichever comes first, for manufacturer's defects in materials and workmanship. Refer to LDV warranty statement for details of warranty coverage.</p>
21.15		<p>Note: Project scope does not include certain tasks or costs that are the responsibility of the customer unless clearly specified as LDV supplied. These items include, but are not limited to:</p> <ul style="list-style-type: none"> • Radio and telephone system programming. • Activation and service fees for telephones, satellite TV, satellite internet access. • Loading and configuring computer software. <p>In the event of a discrepancy between the drawing and specification, the specification will supersede. LDV reserves the right to make substitutions of equal quality and specifications of those listed in this document.</p> <p>Some component models change frequently. In the event that a specified component model becomes unavailable at the time LDV attempts to source it, LDV will provide a replacement model with equivalent or better features, as agreed upon with the customer.</p>
22.00		CUSTOMER PROVIDED ITEMS LIST:
22.01		<p>Customer shall provide the following items to be installed:</p> <ul style="list-style-type: none"> • Eight (8) Motorola APX-8500 Remote Head Radios • Eight (8) Motorola Multi-Band Antenna Whips • Two (2) Motorola Headset Jack Boxes (LDV not installing these – ship back to customer with the truck). • Three (3) IP Phones with Wall Mounts



Lowndes County Sheriff's Department

Lowndes- 40 V700 + 25 M500 VaaS

05/20/2024

05/20/2024

Lowndes County Sheriff's Department
527 Martin Luther King Jr
Columbus, MS 39701-6250

RE: Motorola Quote for Lowndes- 40 V700 + 25 M500 VaaS

Dear Eddie Hawkins,

Motorola Solutions is pleased to present Lowndes County Sheriff's Department with this quote for quality communications equipment and services. The development of this quote provided us the opportunity to evaluate your requirements and propose a solution to best fulfill your communications needs.

This information is provided to assist you in your evaluation process. Our goal is to provide Lowndes County Sheriff's Department with the best products and services available in the communications industry. Please direct any questions to Caroline Bonczyk at Caroline.Bonczyk@motorolasolutions.com.

We thank you for the opportunity to provide you with premier communications and look forward to your review and feedback regarding this quote.

Sincerely,

Caroline Bonczyk

Billing Address:
Lowndes County Sheriff's
Department
527 Martin Luther King Jr
Columbus, MS 39701-6250
US

Quote Date:05/20/2024
Expiration Date:05/05/2025
Quote Created By:
Caroline Bonczyk
Caroline.Bonczyk@
motorolasolutions.com

End Customer:
Lowndes County Sheriff's Department
Eddie Hawkins
ehawkins@lowndes-so.org
662-798-9963

Contract: 36874 - Sourcewell - Mobile
Video 101223-MOT

Line #	Item Number	Description	Qty	Term	Sale Price	Ext. Sale Price	Refresh Duration
Video as a Service							
1	AAS-M5-BWC-5YR	M500 IN-CAR SYSTEM WITH BODY WORN CAMERA AND VIDEO MANAGER EL CLOUD - 5 YEARS VIDEO-AS-A-SERVICE*	25	5 YEAR	\$13,500.00	\$337,500.00	
2	WGC02001-VAAS	VIDEOMANAGER EL CLOUD, ANNUAL UNLIMITED STORAGE PER BODY WORN CAMERA VAAS*	25	5 YEAR	Included	Included	
3	WGC02002-VAAS	VIDEOMANAGER EL CLOUD, ANNUAL UNLIMITED STORAGE PER IN-CAR VIDEO SYSTEM WITH 2 CAMERAS VAAS*	25	5 YEAR	Included	Included	
4	WGB-0741A	V700 BODY WORN CAMERA FIRSTNET READY	25		Included	Included	3 YEAR
5	LSV07S03512A	ESSENTIAL SERVICE W/ACC DMG AND ADV REPLACEMENT	25	5 YEAR	Included	Included	
6	SWV07S03593A	SOFTWARE ENHANCEMENTS	25	5 YEAR	Included	Included	



Any sales transaction following Motorola's quote is based on and subject to the terms and conditions of the valid and executed written contract between Customer and Motorola (the "Underlying Agreement") that authorizes Customer to purchase equipment and/or services or license software (collectively "Products"). If no Underlying Agreement exists between Motorola and Customer, then Motorola's Standard Terms of Use and Motorola's Standard Terms and Conditions of Sales and Supply shall govern the purchase of the Products.

Line #	Item Number	Description	Qty	Term	Sale Price	Ext. Sale Price	Refresh Duration
7	WGP02798-KIT	V700 MAGNETIC MOUNT WITH BWC BOX	25		Included	Included	
8	WGB-0138AAS	TRANSFER STATION, 8 SLOTS, FOR V300/V700 VAAS	3		Included	Included	
9	WGB-0703A	M500 ICV SYSTEM, V300 WIFI DOCK*	25		Included	Included	
10	WGW00502	M500 EXTENDED WARRANTY	25	5 YEAR	Included	Included	
11	WGB-0189A	MTIK CONF KIT,802.11AC,M500POE,5G HZANT	25		Included	Included	
12	WGP01394-001	4RE/M500 RADIO ANTENNA CABLE, 17FT	25		Included	Included	
13	WGP02950	V700 BATTERY, 3.8V, 4180MAH, REMOVABLE	25		\$110.00	\$2,750.00	
14	WGP01566-350	ACCESS POINT, MIKROTIK, 802.11AC, 5GHZ	2		\$200.00	\$400.00	
15	WGW00122-300	4RE, ON-SITE SERVICE, ACCESS POINT/WIRELESS DEPLOYMENT INSTALLATION (GENERAL)	2		\$1,000.00	\$2,000.00	
16	WGW00122-301	MOBILE VIDEO DEPLOYMENT SERVICES	6700 0		\$1.00	\$67,000.00	
17	SSV00S01450B	LEARNER LXP SUBSCRIPTION*	65	5 YEAR	\$0.00	\$0.00	
18	AAS-BWC-XFS-DOC	V300/V700 TRANSFER STATION - VIDEO-AS-A-SERVICE	2	5 YEAR	\$1,800.00	\$3,600.00	
	Video as a Service						
19	AAS-BWC-5YR-001	BODY WORN CAMERA AND VIDEO MANAGER EL CLOUD - 5 YEARS VIDEO-AS-A-SERVICE	15	5 YEAR	\$4,140.00	\$62,100.00	
20	WGC02001-VAAS	VIDEOMANAGER EL CLOUD, ANNUAL UNLIMITED STORAGE PER BODY WORN CAMERA VAAS*	15	5 YEAR	Included	Included	
21	WGB-0741A	V700 BODY WORN CAMERA FIRSTNET READY	15		Included	Included	3 YEAR



Any sales transaction following Motorola's quote is based on and subject to the terms and conditions of the valid and executed written contract between Customer and Motorola (the "Underlying Agreement") that authorizes Customer to purchase equipment and/or services or license software (collectively "Products"). If no Underlying Agreement exists between Motorola and Customer, then Motorola's Standard Terms of Use and Motorola's Standard Terms and Conditions of Sales and Supply shall govern the purchase of the Products.

Line #	Item Number	Description	Qty	Term	Sale Price	Ext. Sale Price	Refresh Duration
22	LSV07S03512A	ESSENTIAL SERVICE W/ACC DMG AND ADV REPLACEMENT	15	5 YEAR	Included	Included	
23	SWV07S03593A	SOFTWARE ENHANCEMENTS	15	5 YEAR	Included	Included	
24	WGP02798-KIT	V700 MAGNETIC MOUNT WITH BWC BOX	15		Included	Included	
25	WGP02950	V700 BATTERY, 3.8V, 4180MAH, REMOVABLE	15		\$110.00	\$1,650.00	
	Vigilant						
26	TT4130A	FULL SUPPORT SERVICES FOR WG ADVANCED LPR	1		\$4,500.00	\$4,500.00	
27	DDN3421A	M500 BASIC ALPR VAAS	25		\$464.40	\$11,610.00	
Grand Total					\$493,110.00(USD)		



Pricing Summary

		Payment Term	Upfront Sale Price	
Upfront Costs*				
				\$89,910.00
Upfront Subscription Fee				
	Video as a Service	Annually		\$80,640.00
Sub Total:				\$170,550.00
		Payment Term	Sale Price	Annual Sale Price
Year 2 Subscription Fee				
	Video as a Service	Annually	\$80,640.00	\$80,640.00
Year 3 Subscription Fee				
	Video as a Service	Annually	\$80,640.00	\$80,640.00
Year 4 Subscription Fee				
	Video as a Service	Annually	\$80,640.00	\$80,640.00
Year 5 Subscription Fee				
	Video as a Service	Annually	\$80,640.00	\$80,640.00
Sub Total:				\$322,560.00
Grand Total System Price (Inclusive of Upfront and Annual Costs)				\$493,110.00

*Upfront costs include the cost of Hardware, Accessories and Implementation, where applicable.

Notes:

- The Pricing Summary is a breakdown of costs and does not reflect the frequency at which you will be invoiced.
- Additional information is required for one or more items on the quote for an order.
- M500 installation cost is included in the Mobile Video Deployment Services.
- Unless otherwise noted, this quote excludes sales tax or other applicable taxes (such as Goods and Services Tax, sales tax, Value Added Tax and other taxes of a similar nature). Any tax the customer is subject to will be added to invoices.
- Unless otherwise noted in this quote / order, installation of equipment is not included.



Any sales transaction following Motorola's quote is based on and subject to the terms and conditions of the valid and executed written contract between Customer and Motorola (the "Underlying Agreement") that authorizes Customer to purchase equipment and/or services or license software (collectively "Products"). If no Underlying Agreement exists between Motorola and Customer, then Motorola's Standard Terms of Use and Motorola's Standard Terms and Conditions of Sales and Supply shall govern the purchase of the Products.

- Please refer to the ALPR Solution Attachment for further details



MOTOROLA SOLUTIONS
VIDEO-AS-A-SERVICE OVERVIEW

QUOTE-2646201
Lowndes- 40 V700 + 25 M500
VaaS

Video-as-a-Service (VaaS) is a subscription-based solution that provides agencies with Motorola's industry-leading evidence collection and management tools. VaaS includes access to high definition camera systems and the VideoManager EL Cloud evidence management platform.

VideoManager EL Cloud automates data maintenance and facilitates administration of your department's devices in a Government cloud-based storage solution. Agencies can capture, record, store, and efficiently manage all evidentiary data with VideoManager.

In addition, the VaaS solution can be expanded with CommandCentral Evidence to provide a single, streamlined workflow in the industry's only end-to-end digital evidence management ecosystem.



When combined into a single solution, these tools enable officers in the field to easily capture, record, and upload evidence, as well as efficiently manage and share that evidentiary data. Because Video-as-a-Service requires no up-front purchase of equipment or software, it provides a simple way to quickly deploy and begin using a complete camera and evidence management solution for a per device charge, billed quarterly.



Any sales transaction following Motorola's quote is based on and subject to the terms and conditions of the valid and executed written contract between Customer and Motorola (the "Underlying Agreement") that authorizes Customer to purchase equipment and/or services or license software (collectively "Products"). If no Underlying Agreement exists between Motorola and Customer, then Motorola's Standard Terms of Use and Motorola's Standard Terms and Conditions of Sales and Supply shall govern the purchase of the Products.



VIDEOMANAGER EL CLOUD SOLUTION DESCRIPTION

VideoManager EL Cloud simplifies evidence management, automates data maintenance, and facilitates management of your department's devices, all in a cloud-based, off-premises storage solution.

It is compatible with V300 and VISTA body-worn cameras, as well as M500 and 4RE in-car video systems, enabling you to upload video evidence quickly and securely. It also allows live-streaming capabilities through the optional SmartControl and SmartConnect applications.



VIDEO EVIDENCE MANAGEMENT

Using VideoManager EL Cloud delivers benefits to all aspects of video evidence management. From streamlining the evidence review process to automatically maintaining your stored data, VideoManager EL Cloud makes evidence management as efficient as possible. With VideoManager EL Cloud, you minimize the amount of time spent manually managing evidence, allowing your team to spend more time in the field.

Simplified Evidence Review

VideoManager EL Cloud makes evidence review easier by allowing users to upload evidence into cloud storage from their in-field devices. When evidence is uploaded, important information is sorted, which groups relevant evidence together. This information includes a recording's date and time, device used to capture, event ID, officer name, and event type. This allows you to view recordings of an incident that were taken from several devices simultaneously, eliminating the task of reviewing irrelevant footage during review.

Its built-in media player includes a visual display of incident data, allowing you to tag moments of interest, such as when lights, sirens, or brakes were activated during the event timeline.

Other relevant files, such as PDFs, spreadsheets, reports, third-party videos, audio recordings, pictures, and drawings, can also be grouped together and stored under a specific case entry, allowing all pertinent information to be stored together in VideoManager EL.

Easy Evidence Sharing

VideoManager EL Cloud allows you to easily share information in the evidence review or judiciary sharing process by exporting evidence data as MP4 files.

You can also find relevant evidence data using audit log filters, including criteria such as import, export, playback, download, share, and modify dates.

Automatic Data Maintenance

VideoManager EL Cloud lets you automatically organize the evidence data you store, allowing you to save time that would be spent manually managing it. It can schedule the automatic movement or purging of events on a daily, weekly, or monthly basis, based on how the user wants to configure the system.

Security groups and permissions are easily set-up in VideoManager EL Cloud, allowing you to grant individuals access to evidence on an as-needed basis.





Integration with In-Car and Body-Worn Cameras

QUOTE-2646201
Lowndes- 40 V700 + 25 M500
VaaS

Officers on the road are able to automatically upload encrypted video from in-car systems and body cameras. This eliminates the need for trips to and from the station solely for uploading data into the system.

Video and audio captured by the M500, V300, 4RE and VISTA camera systems are automatically linked in VideoManager EL Cloud based on time and location. You can then utilize synchronized playback and export of video and audio from multiple devices in the same recording group, where video and audio streams can be matched together.

Optional Live Video Streaming

VideoManager EL Cloud integrates with SmartControl, an optional mobile application for Android or iOS that allows officers to complete evidence review work normally completed at their desk from their smartphone.

SmartControl also allows officers to categorize recordings using event tags, stream live video from, and change camera settings, such as adjusting field of view, brightness, and audio levels.

SmartConnect, an optional smartphone application, provides VISTA body-worn camera users with immediate in-field access to their body cameras. SmartConnect includes the ability to pair with VISTA cameras, adjust officer preferences, categorize recordings with incident IDs and case numbers, and play back recordings.

DEVICE MANAGEMENT

Agencies using VideoManager EL Cloud are able to assign users to devices, track them, and streamline shift changes. You can easily manage, configure, update firmware, and deploy in-car and body-worn cameras. Individual preference settings can be configured based on user profiles, allowing quick device transactions within a pooled device system. VideoManager EL Cloud also tracks devices and enables them to be quickly exchanged between officers during shift changes. This minimizes the amount of devices needed for your fleet.

Device Tracking

You can easily manage, configure, and deploy their in-car and body-worn cameras in VideoManager EL Cloud. Devices can be assigned to personnel within VideoManager EL Cloud and tracked, helping agencies keep track of which users have specific devices.

Faster Shift Changes

VideoManager EL Cloud's Rapid Checkout Kiosk feature allows agencies to take advantage of a pooled camera system to utilize fewer cameras. Rapid Checkout Kiosk feature allows agencies using a pooled camera system to use fewer cameras. Cameras can be checked out at the start of a shift using an easy-to-use interface. At the end of the shift, the camera can be returned to its dock, where the video is automatically uploaded and the camera is made ready to be checked out and used for the next shift.

Devices can also be configured to remember individual preference settings for each user, including volume level, screen brightness and camera aim. These settings are applied whenever a device is assigned to a specific officer. A variety of settings within VideoManager EL Cloud also enable you to configure devices to operate in alignment with your agency's policies and procedures.



Any sales transaction following Motorola's quote is based on and subject to the terms and conditions of the valid and executed written contract between Customer and Motorola (the "Underlying Agreement") that authorizes Customer to purchase equipment and/or services or license software (collectively "Products"). If no Underlying Agreement exists between Motorola and Customer, then Motorola's Standard Terms of Use and Motorola's Standard Terms and Conditions of Sales and Supply shall govern the purchase of the Products.

1 V700 BODY-WORN CAMERA SOLUTION DESCRIPTION

The V700 body-worn camera captures clear video and audio of every encounter from the user's perspective. Its continuous-operation capabilities allow constant recording, helping the user to capture every detail of each situation and create a reliable library of evidence for case-building and review. The V700 can stream live video and report real time GPS location through a built-in LTE modem, directly to the suite of CommandCentral applications.

The V700 is easy to operate, with four control buttons. Its innate Record-After-the-Fact® (RATF) technology enables the device to capture important video evidence that can be retrieved hours or days after an incident occurs, even if a recording is not triggered by the user or sensor. With RATF, officers can prioritize response to immediate threats versus manually activating their camera.



1.1. KEY FEATURES OF THE V700

- **Detachable Battery** – The V700's detachable battery allows officers to switch to a fully-charged battery if their shift goes longer than expected. Since the battery charges without being attached to the V700, the battery is kept fully charged in the dock ready for use. This feature is especially helpful for agencies that share body-worn cameras with multiple officers.
- **Wireless Uploading** – Recordings made by the V700 are uploaded to the agency's evidence management system via LTE. Upload over WiFi will be available soon. This enables easy transfer of critical recordings to headquarters for immediate review or long-term storage.
- **Real-time Location and Video Streaming** – With built-in LTE connectivity, the V700 paired with CommandCentral Aware will send location updates and stream live video to a dispatch center or Real Time Crime Center (RTCC) giving the agency a complete and accurate view of their officers for better coordination and quicker response times.
- **LTE Service Ready** – The V700 is approved for use on Verizon and FirstNet networks in the U.S. and Bell Mobility in Canada. The V700 will ship with a pre-installed SIM from both carriers, ready for service activation upon arrival with a data plan that best suits the agency's needs. LTE service activation would be on the agency's carrier account. Motorola Solutions does not provide LTE service for the V700 camera.
- **Data Encryption** – The V700 uses FIPS-140-2 compliant encryption at-rest and in-transit. This ensures recordings made by the agency's officers are secure from unauthorized access.
- **Record-After-The-Fact®** – Our patented Record-After-the-Fact® technology captures footage even when the recording function is not engaged. The camera user or admin can request video footage from a specific point in the past to be uploaded to the evidence management system, hours or even days after the event occurred.
- **Natural Field of View** – The V700 eliminates the fisheye effect from wide-angle lenses that warps video footage. Distortion correction ensures a clear and complete evidence review process. The V700's high quality, low light sensor captures an accurate depiction of recorded events, even in challenging lighting conditions.
- **SmartControl Application** – To maximize efficiency in the field, the Motorola Solutions SmartControl app enables V700 users to preview video recordings, add or edit tags, change camera settings and view live video from the camera. The app is available for both iOS and Android phones.
- **In-Field Tagging** – The V700 enables easy in-field event tagging. It allows officers to view event tags and save them to the appropriate category directly from the body-worn camera or via the SmartControl app.
- **Auto Activation** – The V700 body-worn camera(s) paired with an M500 or 4RE in-car video system(s) can form a recording group, which automatically starts recording when one of the devices begins to



Any sales transaction following Motorola's quote is based on and subject to the terms and conditions of the valid and executed written contract between Customer and Motorola (the "Underlying Agreement") that authorizes Customer to purchase equipment and/or services or license software (collectively "Products"). If no Underlying Agreement exists between Motorola and Customer, then Motorola's Standard Terms of Use and Motorola's Standard Terms and Conditions of Sales and Supply shall govern the purchase of the Products.



record. Each device can be configured to initiate a group recording using triggers like lights, sirens, doors, gun racks, and other auxiliary inputs. Up to eight V700s can form a recording group and collaborate on recordings, without a corresponding in-car video system, using similar triggers. Group recordings are uploaded and automatically linked to the evidence management system as part of one event.

1.2. V700 AND IN-CAR VIDEO INTEGRATION

The V700 integrates seamlessly with the M500 or 4RE in-car video systems, capturing video of an incident from multiple vantage points. This integration includes the following features:

- **Distributed Multi-Peer Recording** – Multiple V700 body-worn cameras and in-car video systems can form a recording group and based on the configuration, automatically start recording when one of the devices begins to record. Group recordings are uploaded and automatically linked to the evidence management system as part of one incident.
- **Automatic Tag Pairing** – Recordings captured by integrated V700 body-worn cameras and in-car video systems can be uploaded to the evidence management system with the same tags. From the in-car video system's display, videos can be saved under the appropriate tag category. The tag is then automatically shared with the V700 video and uploaded as part of one incident along with the officer's name.
- **Evidence Management Software** – When V700 body-worn cameras and in-car video systems record the same incident, the Motorola Solutions evidence management software automatically links those recordings based on officer name, date, and time overlap.
- **Additional Audio Source** – The V700 can serve as an additional audio source when integrated with the in-car video system. The V700 also provides an additional view of the incident and inherits the event properties of the in-car video system's record, such as officer name, event category, and more, based on configuration.

1.3. V700 AND APX RADIO INTEGRATION

Motorola Solutions' APX two-way radios can pair with V700 body-worn cameras to automate video capture through Bluetooth. When the APX's emergency mode button is pressed, or the ManDown feature is activated, the V700 is triggered to start recording immediately. The recording will continue until manually stopped by the officer via the start/stop button on the V700 or group in-car video system.

1.4. HOLSTER AWARE™ INTEGRATION

The V700 integrates with a Holster Aware™ sensor through Bluetooth. If configured, the sensor automatically prompts the V700 to record the moment the holstered equipment is drawn. The holster sensor information is stored with the V700 user profile and uploaded to the evidence management system. If the user is assigned to a different camera, the holster sensor information will be applied to the new camera. The holster sensor allows officers to record high-stress events as they unfold, without having to sacrifice situational awareness by manually activating the V700.



1.5. **DOCKING STATIONS**

The V700 has three docking options:



Transfer Station – The Transfer Station is built for large, multi-location agencies with large numbers of V700 cameras in service at any given time. It can charge up to eight fully assembled body-worn cameras or individual batteries. The eight docking slots include an LED indication of a battery charging and upload status. While the V700 charges, the Transfer Station can automatically offload recordings from the camera to the evidence management system via an integrated 2.5Gb switch. The Transfer Station connects directly to the LAN for fast offload of recorded events to storage, while charging the body-worn camera battery. The Transfer Station supports comprehensive device management capabilities, such as camera configuration, checkout and officer assignment options; rapid checkout, kiosk, and individual camera checkout; automatic firmware and configuration updates.



USB Base – The USB Base charges the battery of a single V700 or standalone battery pack. The USB Base can be mounted in a vehicle or attached to a desktop or Mobile Data Computer with 12V or USB connection for power. The USB Base has LED indications for battery charging status and upload, and an ambient light sensor for optimal LED brightness control from bright sunlight to the dim interior of a patrol car. When connected to a laptop or desktop computer, the USB Base can be used to upload recordings to the evidence management system, as well as, receive firmware and configuration updates.



Wi-Fi Base – The Wi-Fi Base is mounted in a vehicle. It facilitates V700 upload of video evidence to the evidence management system, firmware updates, communication between V700 and in-car video system group devices and charges fully assembled V700s or individual battery packs. It has LED indications of battery charging status and upload, and an ambient light sensor for optimal LED brightness control, from bright sunlight to the dim interior of a patrol car.

1.6. **MOUNTING SOLUTIONS**

V700 is compatible with the entire line of V300 mounting solutions as depicted below.

WGP02798

WGA00669

WGA00668

WGP02697

WGP03088


WGP03085



Magnetic Center Shirt Mount



Tek-Lok Belt Mount



Molle Locking Mount



Shirt Clip



Heavy Jacket Clip



Heavy Jacket Magnetic Mount



M500 IN-CAR VIDEO SYSTEM

SOLUTION DESCRIPTION

The M500 In-Car Video System is the first AI-enabled in-car video solution for law enforcement. It combines Motorola's powerful camera technology with our industry-leading digital evidence management software, VideoManager, to deliver high-quality digital evidence and real-time analytics.

The M500 offers the following benefits:

- Delivers exceptionally clear, evidence-grade video, from inside and outside the vehicle

The M500 has three high-definition cameras, mounted on the front and rear windshield and in the cabin. The front camera has a 4K sensor, with an ultra high-definition recording resolution that captures both wide-angle and focused video streams. The cabin camera's infrared illumination allows backseat recording in total darkness, and a built-in microphone captures audio in the vehicle during recording.

- Works reliably, even in challenging situations

The cameras and processor are small, rugged devices, easily and securely installed where they do not hinder any line of sight. They are tamper proof and built to withstand significant impact and severe weather conditions. Even if a vehicle is in a serious collision, the Uninterruptible Power Supply automatically kicks in to continue capturing evidence for those critical extra seconds.

- Protects video data, whether in transit or at rest

The powerful core processor, with a 1 terabyte drive, securely stores all video footage, encrypting the data to prevent cyber threats.

- Provides users a reliable, easy-to-learn system

Ease of use is at the heart of the M500. The interface is highly intuitive, and any feature can be accessed with no more than three touches of the control panel. Users can start a recording manually or program sensors to activate a recording when triggered – such as a siren, blue lights, vehicle speed, crash detection, wireless microphones, and more. After the recording starts and is categorized, everything is automated, including the uploading of footage to the system's evidence management software, VideoManager. There, recordings are easily managed, redacted, organized, and shared with all authorized parties, including first responders, fleet managers, investigative officers, supervisors, prosecutors, and legal teams.

- Increases efficiency

The system's software makes it easy to search and analyze video footage, which can save countless hours for users and minimize human error.



- Promotes trust

By providing a clear record of incidents that occur while officers are on duty, the M500 promotes trust between public safety agents and the communities they serve.

- Integrates seamlessly with other Motorola technologies

The M500 offers additional benefits when working in conjunction with Motorola's V700 Body-Worn Camera or L5M License Plate Recognition camera and VehicleManager.

When used with the V700, the M500 in-car video system triggers the V700 to record at the same time. Officers can focus on the situation at hand, while the cameras – working together as a seamless system – capture synchronized recording from multiple vantage points. The footage is uploaded to and can be reviewed on the same system.

When used with the L5M, both the LPR camera and the M500 feed their collected license plate data into Vigilant VehicleManager and display the information on a single interface. Working together, the systems increase coverage while maintaining ease of use through a shared user interface and database.

The M500 is a reliable and comprehensive mobile video solution that will enhance safety, promote accountability, and improve efficiency. It ensures that you always have the critical information needed for smarter, faster decisions to help keep officers and the communities they serve safe.



MOBILE VIDEO PRODUCTS NEW SYSTEM STATEMENT OF WORK

OVERVIEW

This Statement of Work (SOW) outlines the responsibilities of Motorola Solutions, Inc. (Motorola) and the Customer for the implementation of body-worn camera(s) and/or in-car video system(s) and your digital evidence management solution. For the purpose of this SOW, the term "Motorola" may refer to our affiliates, subcontractors, or certified third-party partners. A third-party partner(s) (Motorola-certified installer) will work on Motorola's behalf to install your in-car video system(s) (if applicable).

This SOW addresses the responsibilities of Motorola and the Customer that are relevant to the implementation of the hardware and software components listed in the Solutions Description. Any changes or deviations from this SOW must be mutually agreed upon by Motorola and the Customer and will be addressed in accordance with the change provisions of the Contract. The Customer acknowledges any changes or deviations from this SOW may incur additional cost.

Motorola and the Customer will work to complete their respective responsibilities in accordance with the Project Schedule. Any changes to the Project Schedule must be mutually agreed upon by both parties in accordance with the change provisions of the Contract.

Unless specifically stated, Motorola will perform the work remotely. The Customer will provide Motorola personnel with access to their network and facilities so Motorola is able to fulfill its obligations. All work will be performed during normal business hours based on the Customer's time zone (Monday through Friday from 8:00 a.m. to 5:00 p.m.).

The number and type of software subscription licenses, products, or services provided by Motorola are specifically listed in the Contract and referenced in the SOW. Services provided under this SOW are governed by the mutually executed Contract between the parties, or Motorola's Master Customer Agreement and applicable addenda ("Contract").

AWARD, ADMINISTRATION, AND PROJECT INITIATION

Project Initiation and Planning will begin following the execution of the Contract between Motorola and the Customer. At the conclusion of Project Planning, Motorola's Project Manager (PM) will begin status meetings and provide status reports on a regular cadence with the Customer's PM. The status report will provide a summary of activities completed, activities planned, progress against the project schedule, items of concern requiring attention, as well as, potential project risks and agreed upon mitigation actions.

Motorola utilizes Google Meet as its teleconference tool. If the Customer desires to use an alternative teleconferencing tool, any costs incurred from the use of this alternate teleconferencing tool will be the responsibility of the Customer.

FBI-CJIS SECURITY POLICY – CRIMINAL JUSTICE INFORMATION

CJIS Security Policy Compliance

Motorola does not believe our Mobile Video offerings (i.e. in-car/body-worn cameras) require compliance with the FBI-CJIS Security Policy (CJISSECPOL) based on the definition in Section 4 of CJISSECPOL and how the FBI-CJIS defines Criminal Justice Information. However, Motorola does design its products with the CJISSECPOL



security controls as a guide. Motorola's Mobile Video system design and features support best practice security controls and policy compliance. In the event of a CJIS technical audit request, Motorola will support the Customer throughout this process.

Personnel Security – Background Screening

Motorola will assist the Customer with completing the CJIS Security Policy Section 5.12 Personnel Security related to authorized personnel background screening when requested to do so by the Customer. Based on Section 5.12, a Motorola employee is defined as someone who is required to be on the Customer's property with unescorted access. Motorola employees will also have access to the Customer's network(s) and stored information. Motorola has remote access tools to support virtual escorted access to on-premises customer assets.

Additionally, Motorola performs independent criminal background investigations including name based background checks, credential and educational vetting, credit checks, U.S. citizen and authorized worker identity verification on its employees.

Motorola will support the Customer in the event of a CJIS audit request to validate employees assigned to the project requiring CJIS Section 5.12 Personnel Security screening and determine whether this list is up to date and accurate. Motorola will notify the Customer within 24 hours or next business day of a personnel status change.

Security Awareness Training

Motorola requires all employees who will support the Customer to undergo Level 3 Security Awareness Training provided by Peak Performance and their CJIS online training platform. If the Customer does not have access to these records, Motorola can facilitate proof of completion. If the Customer requires additional and/or separate training, Motorola will work with the Customer to accommodate this request at an additional cost.

CJIS Security Addendum

Motorola requires all employees directly supporting the Customer to sign the CJIS Security Addendum if required to do so by the Customer.

Third Party Installer

The Motorola-certified third party installer will work independently with the Customer to complete the Section 5.12 Personnel Security checks, complete Security Awareness Training and execute the CJIS Security Addendum.

COMPLETION CRITERIA

The project is considered complete once Motorola has completed all responsibilities listed in this SOW. The Customer's task completion will occur based on the Project Schedule to ensure Motorola is able to complete all tasks without delays. Motorola will not be held liable for project delays due to incomplete Customer tasks.

The Customer must provide Motorola with written notification if they do not accept the completion of Motorola responsibilities. Written notification must be provided to Motorola within ten (10) business days of task completion. The project will be deemed accepted if no written notification is received within ten (10) business days.

In the absence of written notification for non-acceptance, beneficial use will occur thirty (30) days after functional demonstration of the system.



SUBSCRIPTION SERVICE PERIOD

If the contracted system includes a subscription, the subscription service period will begin upon the Customer's receipt of credentials for access. The provision and use of the subscription service is governed by the Contract.

PROJECT ROLES AND RESPONSIBILITIES OVERVIEW

Motorola Project Roles and Responsibilities

The Motorola Project Team will be assigned to the project under the direction of the Motorola PM. Each team member will be engaged in different phases of the project as necessary. Some team members will be multi-disciplinary and may fulfill more than one role.

In order to maximize effectiveness, the Motorola Project Team will provide various services remotely by teleconference, web-conference, or other remote method in order to fulfill our commitments as outlined in this SOW.

Our experience has shown customers who take an active role in the operational and educational process of their system realize user adoption sooner and achieve higher levels of success with system operation. The subsections below provide an overview of each Motorola Project Team Member.

Project Manager (PM)

The PM will be the principal business representative and point of contact for Motorola. The PM's responsibilities may include but are not limited to:

- Manage Motorola responsibilities related to the delivery of the project.
- Maintain the Project Schedule, and manage assigned Motorola personnel, subcontractors, and suppliers as applicable.
- Coordinate schedules of assigned Motorola personnel, subcontractors, and suppliers as applicable.
- Conduct equipment inventory if applicable.
- Maintain project communications with the Customer.
- Identify and manage project risks.
- Coordinate collaboration of Customer resources to minimize project delays.
- Evaluate project status against Project Schedule.
- Conduct status meetings on mutually agreed upon dates to discuss project status.
- Provide timely responses to Customer inquiries and issues related to project progress.
- Conduct daily status calls with the Customer during Go-Live.

Post Sales Engineer

The Post Sales Engineer will work with the Customer's Project Team on:

- Discovery validation.
- System provisioning.
- Covers the IT portion of the Project Kickoff Call with the Customer.
- Contracted data migration between two disparate digital evidence management systems (if applicable).



System Technologist (ST)

The ST will work with the Customer's Project Team on:

- Configure Customer's digital evidence management system.
- Inspect installation and configure hardware devices.
- Provide instructions to the Customer on how to configure the hardware.
- Review Deployment Checklist with the Customer.
- Develop and submit a Trip Report.
- Update Customer IP Map.

Professional Services Engineer (if applicable)

The Professional Services Engineer is engaged on projects that include integration between Motorola's digital evidence management system and the Customer's third-party software application. Their responsibilities include:

- Delivery of the interface between Motorola's digital evidence management system and the Customer's third-party software (e.g. CAD).
- Work with the Customer to access required systems/data.

Application Specialist (if applicable)

The Application Specialist will work with the Customer Project Team on system provisioning and education. The Application Specialist's responsibilities include but are not limited to:

- Deliver provisioning education and guidance to the Customer for operating and maintaining their system.
- Provide product education as defined by this SOW and described in the Education Plan.
- Provide on-site training based on the products the Customer purchased.

Technical Trainer / Instructor

The Technical Trainer / Instructor provides training on-site or remote depending on the training topic and deployment services purchased.

Motorola-Certified Installer

The Motorola-certified installer is primarily responsible for installing in-car video systems (ICVs) into Customer vehicles. There are specific requirements the 3rd party partner must meet in order to be considered a Motorola-certified installer, and they include the following:

- **Required Training**
 - WTG0501 - M500 Vehicle Installation Certification (Remote) or WTG0503 - M500 Vehicle Installation Certification (Live)
 - Needs to be renewed yearly.
 - Needs to be submitted to the PM by the technician completing the installation no less than thirty (30) days prior to the installation.
 - Review of any previous Motorola Solutions Technical Notifications (MTNs).
- **Optional Training**
 - WGD00186 - M500 Installation Overview and Quick Start (NA)
 - Not required for installation. Available for the installing technician.
 - WGD00177 - M500 In-Car Video System Installation Guide
 - Not required for installation. Available for the installing technician.
 - MN010272A01 - M500 In-Car Video System Basic Service Manual



- Not required for installation. Available for the installing technician.

Other responsibilities the Motorola-certified installer may be involved in include the installation of cellular routers or Access Points. These activities will only be completed by Motorola if Motorola quotes these services; otherwise, the completion of these services are solely the responsibility of the Customer.

Customer Support Services Team

The Customer Support Services Team will provide on-going support to the Customer following Go-Live and final acceptance of the project.

Customer Project Roles and Responsibilities

Motorola has defined key resources that are critical to this project and must participate in all the activities defined in this SOW. During the Project Planning phase, the Customer will be required to provide names and contact information for the roles listed below. It is critical that these resources are empowered to make decisions based on the Customer's operational and administration needs. The Customer Project Team will be engaged from Project Initiation through Beneficial Use of the system. In the event the Customer is unable to provide the resources identified in this section, Motorola may be able to supplement these resources at an additional cost.

Project Manager

The PM will act as the primary point of contact for the duration of the project. In the event the project involves multiple locations, Motorola will work exclusively with the Customer's primary PM. The PM's responsibilities will include, but are not limited to:

- Communicate and coordinate with other project participants.
- Manage the Customer Project Team including subcontractors and third-party vendors. This includes timely facilitation of tasks and activities.
- Maintain project communications with the Motorola PM.
- Identify tasks required of Customer staff that are outlined in this SOW and the Project Schedule.
- Consolidate all project inquiries from Customer staff to present to Motorola PM.
- Approve a deployment date offered by Motorola.
- Review Project Schedule with the Motorola PM and finalize tasks, dates, and responsibilities.
- Measure and evaluate progress against the Project Schedule.
- Monitor project to ensure resources are available as required.
- Attend status meetings.
- Provide timely responses to issues related to project progress.
- Liaise and coordinate with other agencies, Customer vendors, contractors, and common carriers.
- Review and administer change control procedures, hardware and software certification, and all related project tasks required to meet the deployment date.
- Ensure Customer vendors' readiness ahead of the deployment date.
- Assign one or more personnel to work with Motorola staff as needed for the duration of the project, including one or more representatives from the IT department.
- Identify a resource with authority to formally acknowledge and approve milestone recognition certificates, as well as, approve and release payments in a timely manner.
- Provide Motorola personnel with access to all Customer facilities where system equipment is to be installed. Temporary identification cards are to be issued to Motorola personnel, if required for access.
- Ensure remote network connectivity and access for Motorola resources.



- Assume responsibility for all fees pertaining to licenses, inspections and any delays associated with inspections due to required permits as applicable to this project.
- Provide reasonable care to prevent equipment exposure from contaminants that may cause damage to the equipment or interruption of service.
- Ensure a safe working environment for Motorola personnel.
- Identify and manage project risks.
- Provide signature(s) of Motorola-provided milestone recognition certificate(s) within ten (10) business days of receipt.

IT Support

IT Support manages the technical efforts and ongoing activities of the Customer's system. IT Support will be responsible for managing Customer provisioning and providing Motorola with the required information for LAN, WAN, server and client infrastructure.

The IT Support Team responsibilities include but are not limited to:

- Participate in delivery and training activities to understand the software and functionality of the system.
- Participate with Customer Subject Matter Experts (SMEs) during the provisioning process and associated training.
- Authorize global provisioning decisions and be the Point of Contact (POC) for reporting and verifying problems.
- Maintain provisioning.
- Implement changes to Customer infrastructure in support of the proposed system.

Video Management Point of Contact (POC)

The Video Manager POC will educate users on digital media policy, participate in Discovery tasks, and complete the Video Management Administration training. The Customer is responsible for its own creation and enforcement of media protection policies and procedures for any digital media created, extracted, or downloaded from the digital evidence management system.

Subject Matter Experts (SMEs)

SMEs are a core group of users involved with the analysis, training and provisioning process, including making decisions on global provisioning. The SMEs should be experienced users in their own respective field (evidence, dispatch, patrol, etc.) and should be empowered by the Customer to make decisions based on provisioning, workflows, and department policies related to the proposed system.

Training POC

The Training POC will act as the course facilitator and is considered the Customer's educational monitor. The Training POC will work with Motorola when policy and procedural questions arise. They will be responsible for developing any agency specific training material(s) and configuring new users on the Motorola Learning eXperience Portal (LXP) system. This role will serve as the first line of support during Go-Live for the Customer's end users.



General Customer Responsibilities (if applicable)

In addition to the Customer responsibilities listed above, the Customer is responsible for the following:

- All Customer-provided equipment, including third-party hardware and software needed for the proposed system but not listed as a Motorola deliverable. Examples include end user workstations, network equipment, etc.
- Configure, test, and maintain third-party system(s) that will interface with the proposed system.
- Establish an Application Programming Interface (API) for applicable third-party system(s) and provide documentation that describes the integration to the Motorola system.
- Coordinate and facilitate communication between Motorola and Customer third-party vendor(s) as required.
- Motorola-certified installers must be certified through LXP for remote or in person installation training. The Customer is responsible for work performed by non-certified installers.
- Upgrades to Customer's existing system(s) in order to support the proposed system.
- Mitigate the impact of upgrading Customer third-party system(s) that will integrate with the proposed system. Motorola strongly recommends working with the Motorola Project Team to understand the impact of such upgrades prior to taking action.
- Active participation of Customer SMEs during the course of the project.
- Electronic versions of any documentation associated with business processes identified.
- Providing a facility with the required computer and audio-visual equipment for training and work sessions.
- Ability to participate in remote project meetings using Google Meet or a mutually agreed upon Customer-provided remote conferencing tool.

Motorola is not responsible for any delays that arise from Customer's failure to perform the responsibilities outlined in this SOW or delays caused by Customer's third-party vendor(s) or subcontractor(s).

NETWORK AND HARDWARE REQUIREMENTS

The following requirements must be met by the Customer prior to Motorola installing the proposed system:

- Provide network connectivity for the transfer and exchange of data for the proposed system.
- Provide Virtual Private Network (VPN) remote access for Motorola personnel to configure the system and conduct diagnostics.
- Provide Internet access to server(s).
- Provide devices such as workstations, tablets, and smartphones with Internet access for system usage. Chrome is the recommended browser for optimal performance. The workstations must support MS Windows 11 Enterprise.
- Provide and install antivirus software for workstation(s).
- Provide Motorola with administrative rights to Active Directory for the purpose of installation, configuration, and support.
- Provide all environmental conditions such as power, uninterruptible power sources (UPS), HVAC, firewall and network requirements.
- Ensure required traffic is routed through Customer's firewall.

Motorola is not responsible for any costs or delays that arise from Customer's failure to meet network and hardware requirements.



PROJECT PLANNING

A clear understanding of the needs and expectations of Motorola and the Customer is critical to fostering a collaborative environment of trust and mutual respect. Project Planning requires the gathering of specific information to set clear project expectations and guidelines, as well as lay the foundation for a successful implementation.

PROJECT PLANNING SESSION

A Project Planning Session will be scheduled after the Contract has been executed. The Project Planning Session is an opportunity for the Motorola and Customer PM to meet prior to the Project Kickoff Meeting and review key elements of the project and expectations. Depending on the items purchased, the agenda will typically include:

- A high level review of the following project elements:
 - Contract documents.
 - A summary of contracted applications and hardware as purchased.
 - Customer's involvement in project activities to confirm understanding of scope and required time commitments.
 - A high level Project Schedule with milestones and dates.
- Confirm CJIS background investigations and fingerprint requirements for Motorola employees and/or subcontractors.
- Determine Customer location for Motorola to ship their equipment for installation.

Motorola Responsibilities

- Schedule the remote Project Planning Session.
- Request the assignment of Customer Project Team and any additional Customer resources that are instrumental to the project's success.
- Provide the initial Project Schedule.
- Baseline the Project Schedule.
- Review Motorola's delivery approach and its reliance on Customer-provided remote access.
- Document mutually agreed upon Project Kickoff Meeting Agenda.
- Request user information required to establish the Customer in LXP.

Customer Responsibilities

- Identify Customer Project Team and any additional Customer resources that are instrumental to the project's success.
- Acknowledge the mutually agreed upon Project Kickoff Meeting Agenda.
- Provide approval to proceed with the Project Kickoff Meeting.

Motorola Deliverables

- Project Kickoff Meeting Agenda.

PROJECT KICKOFF

Motorola will work with the Customer to understand the impact of introducing a new solution and the preparedness needed for a successful implementation.



Note – The IT Questionnaire is completed during the pre-sales process and prior to Contract award. The IT Questionnaire is given to Motorola at the time of offer acceptance. Delay in completing the IT Questionnaire may delay shipment of equipment. Motorola will not be responsible for any delays associated with or related to the completion of the IT Questionnaire.

Motorola Responsibilities

- Review Contract documents including project delivery requirements as described in this SOW.
- Discuss the deployment start date and deliver the Deployment Checklist.
- Discuss vehicle equipment installation activities and responsibilities.
- Discuss the equipment inventory process (if applicable).
- Discuss project team participants and their role(s) in the project with fulfilling the obligations of this SOW.
- Review resource and scheduling requirements.
- Discuss Motorola remote system access requirements (24-hour access to a secured two-way Internet connection through the Customer's firewall for the purpose of deployment and maintenance).
- Discuss and deliver the Business Process Review (BPR) Workbook.
- Complete all necessary documentation (i.e. fingerprints, background checks, card keys, etc.) required for Motorola resources to gain access to Customer facilities.
- Discuss the LXP training approach.
- Provide designated Customer administrator with access to LXP.
- Review and agree on completion criteria and the process for transitioning to support.

Customer Responsibilities

- Provide feedback on project delivery requirements.
- Review the Deployment Checklist.
- Review the roles of project participants to identify decision-making authority.
- Provide VPN access to Motorola personnel to facilitate delivery of services described in this SOW.
- Validate non-disclosure agreements, approvals, and other related items are complete (if applicable).
- Provide all documentation (i.e. fingerprints, background checks, card keys, etc.) required for Motorola resources to gain access to Customer facilities.
- Provide Motorola with names and contact information to the designated LXP Administrator(s).

Motorola Deliverables

- Project Kickoff Meeting Minutes.
- BPR Workbook.
- Deployment Checklist.

DISCOVERY TELECONFERENCE

During the Discovery Teleconference, Motorola will meet with the Customer to define system configuration, as well as, agency recording and retention policies. This information will be documented in the Business Process Review (BPR) Workbook, which is used as a guide for configuration and provisioning decisions.

Motorola Responsibilities

- Facilitate Discovery Teleconference(s).
- Review and complete BPR Workbook with the Customer.



- Confirm Customer-provided configuration inputs.

Customer Responsibilities

- Gather and review information required to complete the BPR Workbook during the Discovery Teleconference.
- Schedule Customer Project Team and SMEs to attend the Discovery Teleconference. SMEs should be present to weigh-in on hardware, software and network components. Customer attendees should be empowered to convey policies and make modifications to policies as necessary.
- Return completed BPR Workbook no later than five (5) business days after the conclusion of the Discovery Teleconference.

Motorola Deliverables

- Completed BPR Workbook.



PROJECT EXECUTION

HARDWARE PROCUREMENT AND INSTALLATION

Motorola will procure contracted hardware as part of the ordering process. The hardware will be configured with a basic profile in line with the information provided by the IT Questionnaire or Discovery Teleconference for installation and configuration of the system. The Customer is responsible for providing an installation environment that meets manufacturer's specifications for the hardware, which includes but is not limited to:

- Power
- Heating and Cooling
- Network Connectivity
- Access and Security
- Conduit and Cabling

Motorola Responsibilities

- Procure contracted equipment and ship to the Customer's designated location.
- Inventory equipment after arrival at Customer location (if applicable).
- Install backend server in Customer's designated area (if applicable).
- Conduct a power-on test to validate the installed hardware and software are ready for configuration.
- Verify remote connection to hardware.
- For an on-site deployment, Motorola will be responsible for verifying the body-worn camera Transfer Stations are connected to the Customer's network. The Customer is responsible for ensuring Motorola has the correct IP address(es) for configuring the Transfer Stations, and the Customer's network is operational.
- The installer will be responsible for installing the Access Point(s) (APs) if provided by Motorola (if applicable).
- The ST will verify whether the AP(s) are properly installed and connected to the network (if applicable).
- Create a Trip Report outlining the activities completed during configuration and testing of system hardware.

Customer Responsibilities (if applicable)

- Procure Customer-provided equipment and make it available at the installation location.
- Confirm the server room complies with environmental requirements (i.e. power, uninterruptible power, surge protection, heating/cooling, etc.).
- Verify the server is connected to the Customer's network.
- Provide, install, and maintain antivirus software for server(s) and/or workstation(s).
- Enable outgoing network connection (external firewall) to the CommandCentral cloud by utilizing the Customer's Internet connection (if applicable).
- Install Customer-supplied APs (if applicable).
- Verify APs are properly installed and connected to the network (if applicable).
- For remote deployments, the Customer is responsible for verifying the body-worn camera Transfer Stations are connected to their network.
- Confirm access to installed software on Customer-provided workstation(s).
- For body-worn cameras, the Customer will verify whether the Transfer Station(s) are connected to their network.

Motorola Deliverables

- Contracted Equipment.



- Equipment Inventory (if applicable).

In-Car Video System Configuration (if applicable)

The Motorola-certified installer will complete the installation of the in-car video (ICV) system(s) within the Customer-provided vehicle(s). The installer may also be responsible for installing cellular routers or WiFi radios inside the vehicle(s) for wireless upload of video to the Customer's digital evidence management system.

The Customer vehicles must be available for the ST to complete the configuration and testing of the contractual number of ICVs. If the Customer does not have all vehicles available during the agreed upon date and time, the Customer may opt to sign-off on the number of ICV configurations completed. If the Customer requires the ST to complete the full contractual number of ICVs at a later date and time, additional cost may be incurred. **Table 1-1** shows the number of ICVs an ST is contractually obligated to configure and test based on the number of ICVs purchased.

Table 1-1: Number of Contractual ICV Configurations

Number of ICV Purchased	Number of ICV to Test
1	1
2	2
3	3
4	4
5 - 25	5
26 - 50	10
51 - 75	15
76 - 100	20
101 - 150	30
151 - 200	40
201+	20%

Note – The Pricing Page will reflect in-car video installation services by Motorola if Motorola is responsible for the vehicle installations.

Motorola Responsibilities

- Setup server for ICV digital video recorder (DVR) configuration.
- Create configuration USB used to complete ICV hardware configuration and validation.
- Travel to the Customer site to conduct configuration and testing of ICVs.
- Complete ICV configuration on a single vehicle, and validate the configuration with the Customer.
- Receive Customer approval to proceed with remaining ICV configurations.
- Complete remaining contracted vehicle configurations.
- Test a subset of completed ICV hardware configurations.



- For Motorola-certified installer, complete the installation of cellular router and confirm placement of antenna mounting with Customer (if applicable).
- The Motorola-certified installer will install Customer-provided SIM card into cellular router and connect cellular router to ICV (if applicable).
- Activities surrounding ICV (M500) interface to Automatic License Plate Recognition (ALPR) (if applicable).
 - Install Car Detector Mobile MDC Software on Customer-provided mobile data terminal (MDT) within the vehicle.
 - Configure MDC Network Card.

Customer Responsibilities

- Provide Motorola with remote connection and access credentials to complete ICV hardware configuration.
- Notify Motorola of the vehicle installation location.
- Coordinate and schedule date and time for ICV hardware configuration(s).
- Make ICV hardware available to Motorola for configuration and testing in accordance with the Project Schedule.
- Provide cellular SIM Card for Internet connectivity to the installer at time of vehicle installation.

Motorola Deliverables

- Complete Functional Validation Plan as it applies to the proposed solution.

NOTE - The Customer is responsible for having all vehicles and devices available for installation per the Project Schedule. All cellular data fees and Internet connectivity charges are the responsibility of the Customer. If a Motorola-certified installer is not used to install the ICV(s), Motorola is not responsible for any errors in hardware installation, performance or delays in the Project Schedule. In the event the Customer takes on the responsibility of installing the ICV(s) through a Motorola-certified installer, Motorola is also not responsible for any errors in hardware installation, performance or delays in the Project Schedule. For ALPR installations, an MDT is required for all vehicles (if applicable).

Body Worn Camera Configuration (if applicable)

The Transfer Station will be utilized to configure each body-worn camera according to the Business Process Review. In order for this process to be successfully completed, the Transfer Station must be connected to the Customer's digital evidence management system. The table below shows the number of body-worn cameras an ST is contractually obligated to configure and test based on the number of body-worn cameras purchased.

Table 1-2: Number of Contractual Body-Worn Camera Configurations

Number of BWC Purchased	Number of BWC to Test
1	1
2	2
3	3
4	4
5 - 25	5
26 - 50	10



Number of BWC Purchased	Number of BWC to Test
51 - 75	15
76 - 100	20
101 - 150	30
151 - 200	40
201+	20%

Motorola Responsibilities

- Configure Transfer Station(s) for connectivity to the digital evidence management system.
- Verify the Transfer Station(s) is configured properly and connected to the network.
- Configure body-worn camera(s) within the digital evidence management system.
- Check out body-worn camera(s) and create a test recording.
- Verify completion of upload from body-worn camera(s) after it is docked in a Transfer Station or USB dock.
- Install and provide a demonstration of client software as part of the same on-site engagement as Go-Live, unless otherwise outlined in this SOW.

Customer Responsibilities

- Select physical location(s) for Transfer Station(s).
- Provide and install workstation hardware.
- Complete installation of client software on remaining workstations and mobile devices.
- Validate functionality of components and solution utilizing the Deployment Checklist.
- Provide Motorola remote connection information and necessary credentials.

Automatic License Plate Recognition (ALPR) Commissioning (if applicable)

This section highlights the responsibilities of Motorola and the Customer when an in-car video system interfaces with the Law Enforcement Archival Report Network (LEARN) database.

Motorola Responsibilities

- Create a Customer account in the LEARN system with user emails.
- Verify the Customer has installed and launched the Vigilant Car Detector Mobile Software per the Vigilant LEARN Quickstart Guide.
- Provide Mobile LPR - Officer Safety Basic and Advanced Pre-Installation Checklist.
- Provide Agency Manager with Training Materials and Car Detector Mobile MDC software installation guide.
- Advise Agency Manager of different options available to add new users.
- Confirm Agency Manager is aware of registration required for Hotlists.
- Confirm Agency Manager understands how to set up data-sharing.

Customer Responsibilities

- Identify the Agency Manager.
- Register to receive access to Hotlists.



SOFTWARE INSTALLATION AND CONFIGURATION

Motorola will install VideoManager Evidence Library (EL) software on a specified number of workstations dictated by the Contract. The Customer will be responsible for installing the software on the remaining workstations. Provisioning of VideoManager EL software will be done in accordance with the information contained in the BPR Workbook.

Installation of VideoManager EL software consists of the following activities:

- Delivery and installation of server hardware (if applicable).
- Network discovery.
- Operating system and software installation.
- Onboarding user / group identity set up.
- Provide access to the application.

VideoManager EL (if applicable)

The VideoManager EL software is an on-premises solution that requires an onsite server and supports both body worn cameras and in-car video systems.

Motorola Responsibilities

- Install software on a specified number of customer workstations and/or mobile devices.
- Use information provided in the BPR Workbook to configure VideoManager EL software.
- Test software using applicable portions of the Functional Validation Plan.
- Provide instruction on client software USB utility.

Customer Responsibilities

- Provide a network environment that conforms to the requirements presented in the Solution Description.
- Procure and install server and storage hardware at desired location in accordance with Solution Description requirements.
- Perform a power on test with Motorola.
- Provide assigned Motorola System Administrator with access to SQL database for installation purposes (Motorola's access will be revoked upon conclusion of the installation).
- For Active Directory integration, provide domain user (service account), security group (for application administrators including service account), and domain read access (if applicable).
- Provide workstation and/or mobile device hardware in accordance with specifications listed in the Solution Description.
- Complete online training.
- Complete installation of client software on remaining workstations and/or mobile devices.

VideoManager ELC (if applicable)

VideoManager ELC software is a cloud solution that does not require an onsite server and supports both body-worn cameras and in-car video systems.

Motorola Responsibilities

- Use information provided in BPR Workbook to configure VideoManager ELC software.
- Based on Customer feedback, perform the following activities:



- Create users, groups, and setup permissions.
- Create event categories.
- Set retention policies.
- Test software using applicable portions of the Functional Validation Plan.
- Ensure training POC can access the system.

Customer Responsibilities

- Verify traffic can be routed through Customer's firewall and reaches end user workstations.

CloudConnect Installation and Configuration (applicable for CommandCentral Aware purchase)**Motorola Responsibilities**

- Verify remote access capability.
- Remotely configure CloudConnect Virtual Machine within the Cloud Anchor Server.
- Configure network connectivity and test connection to the CloudConnect Virtual Machine.
- Create an IPSEC tunnel.
- Provide Customer with the information for setting up the IPSEC tunnel.

Customer Responsibilities

- Provide Motorola with two static IP addresses, corresponding subnet masks/default gateway, and available NTP and DNS IP for the CloudConnect Virtual Machine and the Cloud Anchor Server.
- Confirm with Motorola the network performance requirements are met.
- Configure firewall to allow traffic from IPSEC tunnel.

Completion Criteria

- CloudConnect Virtual Machine configuration is complete and accessible throughout the network.

CommandCentral Evidence (if applicable)

Motorola will work with the Customer to determine best industry practices, current operations environment, and subsystem integration to ensure optimal configuration of your CommandCentral Evidence solution.

Motorola Responsibilities

- Use the CommandCentral Admin Portal to provision users, groups, and rules based on Customer Active Directory data.
- Guide the Customer in the configuration of CommandCentral Evidence.

Customer Responsibilities

- Supply access and credentials to Customer's Active Directory for the purpose of Motorola conducting CommandCentral Evidence provisioning.
- Respond to Motorola's inquiries regarding users, groups and agency mapping to CommandCentral Evidence.
- Provision policies, procedures, and user permissions.
- Configure evidence as directed by Motorola.



DATA MIGRATION SERVICES (IF APPLICABLE)

The Customer is responsible for partitioning data to be converted from a legacy or on-premises digital evidence management system to an on-cloud solution as part of this offer. The Customer will have ten (10) business days to provide feedback after Motorola validates the migrated data. If feedback is not received on or before ten (10) business days, Motorola will assume the migration is complete.

Motorola Responsibilities

- Receive access to Customer video data.
- Perform contracted data migration and validation.

Customer Responsibilities

- Provide remote access to partitioned data to be migrated.
- Validate migrated dataset, and provide Motorola with feedback within ten (10) business days.

Completion Criteria

- A migrated dataset as defined in the Contract.

DEMS INTEGRATIONS AND THIRD-PARTY INTERFACES (IF APPLICABLE)

The integration between Motorola's digital evidence management system and the Customer's third-party system may consist of an iterative series of activities depending on the complexity of accessing the third-party system. Interfaces will be installed and configured in accordance with the Project Schedule. The Customer is responsible for engaging third-party vendors as required to facilitate connectivity and testing of the interface(s).

Motorola Responsibilities

- Develop and configure interface(s) to support the functionality described in the Solution Description.
- Establish and validate connectivity between Motorola and third-party systems.
- Perform functional demonstration to confirm the interface(s) can transmit and receive data to the Customer's digital evidence management system.

Customer Responsibilities

- Act as liaison between Motorola and third-party vendor(s) as required to establish connectivity to the digital evidence management system.
- Provide personnel authorized to make changes to the network and third-party systems to support Motorola's integration efforts.
- Provide network connectivity between digital evidence management system and the third-party system(s).
- Provide information on API, SDKs, data scheme, and any documentation necessary to establish interfaces with all local and remote systems. This information should be provided to the Motorola PM within ten (10) business days of the Interface Engagement Meeting.

NOTE - At the time of initial design, unknown circumstances, requirements or anomalies may present difficulties with interfacing Motorola products to a third-party application. These difficulties could result in a poorly performing or a non-functional interface. By providing Motorola with this information early in the deployment process, will put us in the best position to mitigate these potential issues. If the resolution requires additional third-party integration, application upgrades, APIs, and/or additional software licenses, the Customer is responsible for addressing these issues at their cost. Motorola is not responsible for any delays or costs associated with third-party applications or Customer-provided third-party hardware or software.



SYSTEM TRAINING

The objective of this section is to prepare for and deliver training. Motorola training consists of computer-based (online) and instructor-led (on-site or remote) depending on what is purchased. Our training delivery methods will vary depending on course content. Training will be delivered in accordance with the Education Plan. As part of our training delivery, Motorola will provide user guides and training materials in an electronic format.

ONLINE TRAINING (IF APPLICABLE)

Online training is made available to the Customer through LXP. This subscription service provides customers with unlimited access to our online training content and provides users with the flexibility of learning the content at their own pace. Training content is added and updated on a regular basis to keep information current.

Through LXP, a list of available online training courses, Motorola User Guides, and Training Material are accessible in electronic format.

Motorola Responsibilities

- Designate a LXP Administrator to work with the Customer.
- Establish an accessible instance of LXP for the Customer.
- Configure a Customer-specific portal view.
- Organize content to align with Customer's selected technologies.
- Create initial Customer user accounts and a single Primary Administrator account.
- During onboarding, assist the Customer with LXP usage.
- Provide technical support for user account and access issues, LXP functionality, and Motorola managed content.
- Provide instruction to Customer LXP Administrator on building groups.

Customer Responsibilities

- Provide user information for the initial creation of accounts.
- Complete LXP Administrator training.
- Ensure network and Internet connectivity for Customer access to LXP.
- Customer's primary LXP Administrator is required to complete the following self-paced training: LXP Introduction (LXP0001), LXP Primary Site Administrator Overview (LXP0002), and LXP Group Administrator Overview (LXP0003).
- Advise users on the availability of training through LXP.
- Ensure users complete LXP training in accordance with the Project Schedule.
- Build groups as needed.

INSTRUCTOR-LED TRAINING (ON-SITE AND REMOTE, IF APPLICABLE)

Instructor-led courses are based on products purchased and the Customer's Education Plan.

Motorola Responsibilities

- Deliver User Guides and training materials in an electronic format.
- Perform training in accordance with the Education Plan.





QUOTE-2646201
Lowndes- 40 V700 + 25 M500
VaaS

- Provide the Customer with training attendance rosters and summarize any pertinent information that may impact end user training.

Customer Responsibilities

- Supply classroom(s) based on the requirements listed in the Education Plan.
- Designate training representatives who will work with the Motorola trainer(s) to deliver the training content.
- Facilitate training of all Customer end users in accordance with the Customer's Education Plan.

Motorola Deliverables

- Electronic versions of User Guides and training materials.
- Attendance rosters.



Any sales transaction following Motorola's quote is based on and subject to the terms and conditions of the valid and executed written contract between Customer and Motorola (the "Underlying Agreement") that authorizes Customer to purchase equipment and/or services or license software (collectively "Products"). If no Underlying Agreement exists between Motorola and Customer, then Motorola's Standard Terms of Use and Motorola's Standard Terms and Conditions of Sales and Supply shall govern the purchase of the Products.

PROJECT GO-LIVE, CLOSURE, AND HANDOVER TO SUPPORT

Motorola will utilize the Deployment Checklist throughout the deployment process to verify features and functionality are in line with installation and configuration requirements. The Customer will witness the ST demonstrating the Deployment Checklist and provide feedback as features and functionality are demonstrated. The Customer is considered Live on the system after the equipment has been installed, configured, and made available for use, and training has been delivered or made available to the Customer.

Upon the conclusion of Go-Live, the project is prepared for closure. Project closure is defined as the completion of tasks and the Customer's receipt of contracted components. The Deployment Checklist serves as the artifact that memorializes a project closure. A System Acceptance Certificate will be provided to the Customer for signature to formally close out the project. The Customer has ten (10) business days to provide Motorola with a signed System Acceptance Certificate. If the Customer does not sign off on this document or provide Motorola written notification rejecting project closure, the project will be deemed closed. Upon project closure, the Customer will engage with Technical Support for on-going needs in accordance with the Customer's specific terms and conditions of support.

Motorola Responsibilities

- Provide the Customer with Motorola Technical Support engagement process and contact information.
- Provide Technical Support with the contact information of Customer users who are authorized to engage Technical Support.
- Ensure Deployment Checklist is complete.
- Obtain Customer signature on the System Acceptance Certificate.
- Provide Customer survey upon closure of the project.

Customer Responsibilities

- Within ten (10) business days of receiving the System Acceptance Certificate, provide signatory approval signifying project closure.
- Provide Motorola with the contact information of users who are authorized to engage Motorola's Technical Support.
- Engage Technical Support as needed.

Motorola Completion Criteria

Provide Customer with survey upon closure of the project.



ASSUMPTIONS

This SOW is based on the following list of assumptions (if applicable):

- Videomanager EL Cloud (VMELC) must be connected to the Microsoft Entra ID (formally known as Microsoft Azure Active Directory) for user authentication to the VMELC application. Microsoft Entra ID can be synchronized with the Customer's on-premises Active Directory using Azure AD Connect. If the Customer is using Microsoft Office 365, Motorola will be able to integrate with this Microsoft Entra ID.
- Must be 2003 or later for Microsoft Entra ID integration.
- Upload Speed Requirements for Hardware Devices
 - 5 Mbps + 3 Mbps per additional device.
 - This assumes it will take 8 hours to upload 5 GB of video on a device.
 - 40-50 Mbps per concurrent uploading device.
 - This assumes video is required to upload within 30-40 minutes with approximately 5 GB to upload.
- If the Customer is supplying an upload server to temporarily store video, please verify the server complies with the specifications provided in the Solutions Description.
- By default, M500 ICVs and V300/V700 BWCs do not need an upload server for cloud deployments. An upload server may be required depending on how many devices are uploading concurrently and the need for the Customer to upload video evidence at a given speed.
- Upload appliance required if using 4REs or VISTA body worn cameras connected to VideoManager EL Cloud
- Cellular upload of ICVs and BWCs (if applicable) requires an Ethernet connection to an LTE modem in the vehicle.
- If the Customer is supplying a server for VideoManager EL (On-premises) solution, the Customer must verify the server is not a Domain Controller.
- VideoManager EL for on-premises cannot be installed on a server running Active Directory or Exchange applications on the Customer's network.
- The ICVs are configured with a hidden SSID and WPA2-AES Security with a 128-bit Pre-shared Key. If another type of security is desired, the Customer will be responsible for configuring these security requirements into the ICVs. This information must be supplied through the IT Questionnaire in order for the factory to configure the correct security requirements.
- If the Customer is supplying their own Access Point, it must be 5 GHz 802.11n compatible.



ESSENTIAL SERVICE FOR V700 BODY WORN CAMERA DEVICE (NORTH AMERICA)

This Statement of Work ("SOW") is subject to the terms and conditions of the Motorola Solutions Service Agreement or other applicable agreement in effect between the parties ("Agreement"). The terms of this SOW are an integral part of an Agreement with the Customer to which this SOW is appended and is made a part thereof by this reference. In the event of a conflict between the terms and conditions of an Agreement and the terms and conditions of this SOW, this SOW will control the inconsistency only. This SOW applies to the Device(s) specifically named in the Agreement.

1.1. DESCRIPTION OF SERVICES AND OBLIGATIONS

The term "Customer" refers to any end-user who has a purchase agreement with Motorola Solutions.

Essential Service provides either three (3) or five (5) years of coverage, as selected by the Customer, and includes:

- Remote Technical Support
- Software Maintenance
- Software Enhancements
- Hardware Repair for manufacturing defects

Motorola Solutions includes three (3) years of Essential Service with each Body Worn Camera (BWC) device purchase, with optional service upgrades to extend and/or provide additional coverage for the device.

1.2. ESSENTIAL SERVICE

1.2.1. Remote Technical Support

Remote Technical Support is provided for device issues related to software and/or hardware that require troubleshooting expertise. Motorola Solutions' System Support Center (SSC) and Technical Support Operations (TSO) center are staffed with highly trained technologists who specialize in the diagnosis and resolution of product issues. Motorola Solutions' SSC and TSO are continuously monitored against stringent, industry recognized incident and problem management processes.

Motorola Solutions will respond to calls, e-mails, and web portal submissions during normal support hours, five (5) business days per week, excluding holidays, and weekends. In addition, Customers may contact the Motorola Service Desk and a Motorola Solutions representative will log a technical request on Motorola Solutions' Case Management System.

1.2.1.1 Technical Problem Isolation, Analysis and Resolution.

A Motorola Solutions representative or technologists will:

- Work to isolate the problem/issue
- Analyze and determine the cause of the problem/issue
- Work to achieve problem/issue resolution



1.2.2. Software Maintenance

Software maintenance is important for ensuring device performance and operation. Essential Service provides the Customer with access to the latest available Body Worn Camera (BWC) device operating system (OS) software, device firmware, and application software. Device software releases maintain the device software performance such that the Device operates in accordance with its specifications and documented functionality, and is aligned with the applicable Motorola Solutions infrastructure platform lifecycle. Each release may include bug fixes, security patches, and/or new feature activation enablements.

Configuration of the Body Worn Camera (BWC) device is made possible through the use of the VideoManager EL On-Premise, or VideoManager EL Cloud, solution.

Access to software updates will remain available until the expiration of the initial term of the Essential Service Package. Upon expiration of the initial Essential Service term, availability of software updates will terminate, unless the Customer renews Essential Service.

1.2.3. Software Enhancements

Software Enhancements are included with all BWC devices that have a valid Essential Service Package. Software Enhancements may include, or introduce, new device features, functionality, or capabilities, that were not available at time of device purchase. Availability of software enhancements depends on the device hardware and software capability to work with the new enhancements. Certain enhancements, not included with Essential Service Packages, may only be available as an additional purchase.

Motorola Solutions, at its discretion, reserves the right to add new software enhancements, or remove existing software enhancements, from any of its Essential Service Package. Please contact your Motorola Solutions Sales associate, or visit the Motorola Solutions' Web portal, for additional information regarding device features and capabilities.

Software Enhancements for the device will be continuously available until the expiration of the initial term of the Essential Service Package. Upon expiration of the initial term of Essential Service, availability of Software Enhancements will terminate, unless the Customer renews Essential Service.

1.2.4. Device Hardware Repair

Essential Service provides the Customer with repair services at a Motorola Solutions owned and operated, supervised, or certified Repair Center that employs the latest test equipment and original or certified replacement components used in the manufacturing of the BWC device. Device Hardware Repair provides the Customer with repair services for internal and external device components that are damaged as a result of manufacturing defects and defects due to normal wear and tear. With this Service, the device is repaired to ensure full compliance with its specifications, as published by Motorola Solutions at the time of delivery of the original device via:

- Repairs, adjustments and restorations, if appropriate, of any device that malfunctions while being used within the operational and environmental parameters specified by Motorola Solutions.
- Device updates, if applicable, as may be released, from time to time, by Motorola Solutions in accordance with an Engineering Change Notice.



At the discretion of Motorola Solutions, if the device is considered "un-repairable", for technical or economic reasons, Motorola will replace the device with a new or refurbished device.

1.2.5. Essential Software Service

If for any reason the Customer declines or chooses to exclude the hardware repair option that is included with the three (3) year Essential Service Package, the Customer will automatically default to, and be entitled to, three (3) years of Essential Software Service and one (1) year of hardware repair against manufacturing defects, as covered by the standard product warranty.

Essential Software Service provides three (3) years of coverage and includes:

- Remote Technical Support
- Software Maintenance
- Software Enhancements

1.2.6. Scope of Products or Services included

Essential Service, and optional Service upgrades, are currently available for all V700 Body Worn Camera devices. Check with your Motorola Solutions' Sales representative if you have a question about the eligibility of your device.

1.3. MOTOROLA SOLUTIONS RESPONSIBILITIES

Software Release Availability. Motorola Solutions will provide access to the latest BWC device software and firmware releases via the VideoManager EL On-Premise, or VideoManager EL Cloud, solution. For customers using the VideoManager EL Cloud, software and firmware upgrades will occur automatically when the Body Worn Camera device connects to the agency's VideoManager EL Cloud instance. If using the VideoManger EL On-Premise solution, the on-prem server will periodically connect to the VideoManager EL Cloud database to check for new software and firmware versions, download the latest version, and apply the new software and/or firmware automatically to the BWC device when it connects to the server.

Software Release Notes. Motorola Solutions may, from time to time, provide release notes for the BWC Device software release. Information regarding training material will be posted on the Learning Experience Portal (LXP) at <https://learning.motorolasolutions.com>

Hardware Repair. Motorola Solutions will provide repair or replacement of a device, at its option, with a five (5) business day in-house turnaround time, provided the device is delivered to the repair center by 9:00 a.m. (local repair center time), and replacement parts, components, and/or devices are available. Business days do not include holidays or weekends. Repair may include the replacement of parts, or boards with new parts or complete boards or, at Motorola Solutions' option, with functionally equivalent, reconditioned parts, boards, or with a new or refurbished replacement device. All replaced parts, boards or devices will become the property of Motorola Solutions. Turnaround time represents the time a product spends in the repair process; it does not include time in transit, including customs clearance.

LTE/4G Service. Motorola Solutions supports the operation of the V700 BWC device on multiple approved LTE/4G Carrier Networks. Based on the Customer's selection of a Carrier during the initial ordering process,



Motorola Solutions will install, in the device, the Customer's selected Carrier SIM, before the device is shipped to the Customer. The Customer is responsible for contacting the Carrier and activating the LTE/4G data service.

Shipping. For devices repaired under Essential Service, Motorola Solutions will provide one-way shipping, from an Authorized Motorola Repair Center to the Customer. The Customer is responsible for the shipping method and any shipping costs incurred when returning the faulty device to an Authorized Motorola Solutions repair center. Based on the country of purchase, Motorola Solutions may also cover, or include, two-way shipping for the damaged or defective device. Eligibility for two-way shipping will be confirmed during the repair submission process.

1.4. CUSTOMER RESPONSIBILITIES

Serial Numbers. If device orders are submitted via Motorola Solutions' Partner Hub, OCC, or CPQ ordering systems, the hardware serial number(s) for three (3) year Essential Service and Essential Software, as well as five (5) year Essential Service, and three (3) and five (5) year Essential Service with Accidental Damage and Advanced Replacement, will be automatically captured and included in the Service Agreement.

If five (5) year Essential Service or three (3) and five (5) year Essential Service with Accidental Damage and Advanced Replacement is purchased within 90 days of device shipment, the Customer must provide a complete list, preferably in electronic format, or by completing a Service Order Form (SOF), of all hardware serial numbers to be covered under the Agreement.

Initiating Repair. When initiating a repair, the Customer must contact Motorola Solutions to obtain a Return Material Authorization (RMA) number for each faulty BWC device. The Customer can submit a repair, and request an RMA, via the Partner Hub Portal, or by contacting the Motorola Solutions' Service Desk. If two-way shipping is included, the customer can generate a shipping label via Partner Hub, or by contacting the Motorola Solutions Service Desk. The Return Material Authorization (RMA) must be included with the device when shipped to the Authorized Motorola Repair Center.

- Only the BWC device should be returned for repair. The battery must be removed before shipping the device to a Motorola Solutions Repair Center.
- Device accessories should not be included when returning a device to a Motorola Solutions Repair Center for repair. Accessories include batteries, chargers or charging stations, cables, mounts, and clips.
- The SIM card must remain in the device, and intact, when the device is shipped to a Motorola Solutions Repair Center. If the SIM card is removed, or if any evidence of SIM card tampering is found, including disassembling of the device, the warranty will be null and void.

Motorola Solutions is not responsible for any accessories, or device batteries, that are shipped with the device for repair.

Device software releases. The Customer will be responsible for updating each eligible BWC device with the latest available software and/or firmware, and of advising users of any operational changes that may have been introduced as a result of the new software or firmware.

LTE/4G Service. The Customer is responsible for selecting a Motorola Solutions approved LTE/4G Carrier/Provider during the initial ordering process, and for contacting the Carrier and activating LTE service for the device. The Customer is solely responsible for all financial obligations with the selected LTE Carrier.



WiFi Connectivity. The Customer is responsible for providing all WiFi connectivity to the device.

Removing Customer Data. The Customer is responsible for removing, from the device, any data, video, or other information that the Customer wishes to retain or destroy, prior to sending the device to a Motorola Solutions Repair Center for repair.

Motorola Solutions may provide a Video Evidence Recovery Service for the BWC device, as an additional charge. Video Evidence Recovery is a best effort service that is dependent on the condition of the device. This service, if applicable, will have a separated Agreement, with Terms and Conditions, outside the scope of this Statement of Work (SOW). Please contact your Motorola Solutions Representative for more information regarding the Video Evidence Recovery Service.

1.5. ESSENTIAL SERVICE LIMITATIONS AND RESTRICTIONS

Customer will incur additional charges at the prevailing rates for any of the following activities, which are not covered under this Agreement:

- Replacement of consumable parts or accessories, as defined by product, including but not limited to batteries, cables, mounts, or clips.
- Repair of problems caused by natural or manmade disasters, including but not limited to fire, theft and floods that would cause internal or external component damage or destruction.
- Repair of problems caused by third parties' Software, accessories or peripherals not approved in writing by Motorola Solutions for use with the device.
- Repair of problems caused by using the device outside of the product's operational and environmental specifications, including improper handling, carelessness or reckless use, or repaired by a third party.
- Repair of problems caused by unauthorized alterations or attempted repair.
- Non-remedial work, including but not limited to administration and operator procedures, reprogramming, and operator or user training.
- Problem determination and/or work performed to repair or resolve issues with non-covered products; for example, any hardware or software products not specifically listed on the service order form.
- Any file or video backup or restoration.
- Completion and test of incomplete application programming or system integration if not performed by Motorola Solutions and specifically listed as covered.
- Use of Software or Firmware releases, except as provided for under the responsibilities outlined in this document.
- Accidental damage, chemical or liquid damage, or other damage caused outside of normal device operating specifications, unless the Customer has purchased the optional Essential Service with Accidental Damage and Advanced Replacement package.
- Cosmetic imperfections that do not affect the functionality of the device.

Where a Body Worn Camera device is submitted for repair that is outside the scope of Service, such repair may be quoted by Motorola Solutions for additional cost in accordance with Motorola Solutions' standard Time and Materials (T&M) rates and terms and conditions. Motorola Solutions will notify the Customer of any incremental charges related to the aforementioned exclusions prior to completing the repair and said repair will be subject to acceptance of the quotation by the Customer.

Software support for unauthorized modifications, or other misuse of the device software, is not covered under this Agreement.



Access to the software and firmware releases for updating the device under this SOW is available only for the device named in the Agreement. Software updates to any additional devices are expressly excluded and prohibited. Notwithstanding the foregoing, Motorola Solutions may, at its sole discretion, include coverage for other devices.

Any implementation tools not required to support the device software and firmware updates are excluded from coverage.

1.6. MOTOROLA SOLUTIONS IS NOT OBLIGATED TO PROVIDE SUPPORT FOR ANY DEVICE:

- That has been repaired, tampered with, altered or modified (including the unauthorized installation of any software) — except by Motorola Solutions authorized service personnel.
- That has been subjected to unusual physical or electrical stress, abuse, or forces or exposure beyond normal use within the specified operational and environmental parameters set forth in the applicable product specification.
- If Customer fails to comply with the obligations contained in the product purchase agreement and/or the applicable software license agreement and/or Motorola Solutions terms and conditions of service.

1.7. ESSENTIAL SERVICE WITH ACCIDENTAL DAMAGE REPAIR AND ADVANCED REPLACEMENT

1.7.1. Description of Services and Obligations

Accidental Damage coverage is an optional, prepaid service that adds coverage for accidentally damaged BWC devices. Accidental Damage coverage must be purchased together with, or within 90 days of, a qualifying Motorola Solutions device purchase. This three (3) or five (5) year service offer reduces unexpected expenses related to the repair of the device. Accidental Damage and Advanced Replacement coverage includes all services provided under Essential Service, plus additional coverage for Accidental Damage and Advanced Replacement of the damaged device.

Examples of repairs covered under Accidental Damage include:

- Electrical repair for failures caused by accidental water or chemical damage
- Electrical repair for accidental internal damage
- Replacement of accidentally cracked or broken housings.
- Replacement of accidentally cracked or broken camera lens or displays.
- Replacement of accidentally cracked or broken or missing buttons, knobs, or keypads

Repair or Replacement. Motorola Solutions will provide repair or replacement of a BWC device, at its option, with a five (5) business day in-house turnaround time, excluding weekends and holidays, provided the device is delivered to the repair center by 9:00 a.m. (local repair center time), and replacement parts, components, and/or devices are available. Repair may include the replacement of parts, or boards with new parts or complete boards or, at Motorola Solutions option, with functionally equivalent, reconditioned parts, boards, or with a new replacement or refurbished device. All replaced parts, boards or devices will become the property of Motorola Solutions. Turnaround time represents the time a product spends in the repair process; it does not include time in transit, including customs clearance.

Serial Numbers. If the Accidental Damage Service is purchased with the device, in the same order, using Motorola Solutions' Partner Hub Portal, OCC, or CPQ when ordering, the hardware serial number(s) are



automatically captured and included in the Service Agreement. If Accidental Damage Service is purchased within 90 days of device shipment, the Customer must provide a complete list, preferably in electronic format, or by completing a Service Order Form (SOF), of all hardware serial numbers to be covered under the Agreement.

Initiating Repair. When initiating a repair, the Customer must contact Motorola Solutions to obtain a Return Material Authorization (RMA) number for each faulty BWC device. The Customer can submit a repair, and request an RMA, via the Partner Hub Portal, or by contacting the Motorola Solutions' Service Desk. If two-way shipping is included, the customer can generate a shipping label via Partner Hub, or by contacting the Motorola Solutions Service Desk. The Return Material Authorization (RMA) must be included with the device when shipped to the Authorized Motorola Repair Center.

- Only the BWC device should be returned for repair. The battery must be removed before shipping the device to a Motorola Solutions Repair Center.
- Device accessories should not be included when returning a device to a Motorola Solutions Repair Center for repair. Accessories include batteries, chargers or charging stations, cables, mounts, and clips.
- The SIM card must remain in the device, and intact, when the device is shipped to a Motorola Solutions Repair Center. If the SIM card is removed, or if any evidence of SIM card tampering is found, including disassembling of the device, the warranty will be null and void.

Motorola Solutions is not responsible for any accessories, or device batteries, that are shipped with the device for repair.

Advanced Replacement. Under Accidental Damage and Advanced Replacement Service, Motorola Solutions will provide Advanced Replacement for the damaged device. Motorola Solutions will ship a new or refurbished replacement device to the Customer within two (2) business days of receiving the Customer repair request, subject to availability of replacement devices. Business days do not include weekends or holidays.

The Customer must return the defective or damaged device to a Motorola Solutions Repair Center within 60 days after receiving the replacement device. Failure to return the damaged device to Motorola Solutions will result in an additional Customer charge for the replacement device.

When returning a device for Advanced Replacement, device accessories should not be included. Accessories include batteries, chargers or charging stations, cables, mounts, and clips.

Motorola Solutions is not responsible for any accessories that are shipped with the device.

1.8. ACCIDENTAL DAMAGE AND ADVANCED REPLACEMENT LIMITATIONS AND RESTRICTIONS

Customer will incur additional charges at the prevailing rates for any of the following activities, which are not covered under this Agreement:

- Replacement of consumable parts or accessories, as defined by product, including but not limited to batteries, chargers, charging stations, mounts, and clips.
- Repair of problems caused by natural or manmade disasters, including but not limited to fire, theft and floods that would cause internal or external component damage or destruction.
- Repair of problems caused by third parties' Software, accessories or peripherals not approved in writing by Motorola Solutions for use with the device.
- Repair of problems caused by using the device outside of the product's operational and environmental specifications, including improper handling, carelessness or reckless use, or repair by a third party.



- Repair of problems caused by unauthorized alterations or attempted repair.
- Non-remedial work, including but not limited to administration and operator procedures, reprogramming, and operator or user training.
- Problem determination and/or work performed to repair or resolve issues with non-covered products; for example, any hardware or software products not specifically listed on the service order form.
- Any file or video backup or restoration.
- Completion and test of incomplete application programming or system integration if not performed by Motorola Solutions and specifically listed as covered.
- Use of Software or Firmware releases except as provided for under the responsibilities outlined in this document.

There is a maximum limit of one (1) Body Worn Camera device repair, per contract year, for Essential Service with Accidental Damage and Advanced Replacement.

Where ongoing "Accidental Damage" repair is deemed by Motorola Solutions to be excessive, systemic, or the result of device mishandling, the Customer may be subject to an additional charge. Should the accidental damage continue unabated, the Customer will incur repair charges at Motorola Solutions' discretion and prevailing charges for devices deemed by Motorola Solutions to have been damaged through improper handling, carelessness or reckless use.





Quote Number: 1124675
 Quote Date: 6/10/2025 Page: 1
 Prepared by: Bridget Ellison
 Email: bellison@sirchie.com
 Modified by: bellison@sirchie.com
 RE: RFQ RFQ-McCain
 FOB

100 Hunter Place
 Youngsville, NC 27596
 Phone: (919) 554-2244, (800) 356-7311
 Fax: (919) 554-2266, (800) 899-8181
 www.sirchie.com

Extended Sales Hours Monday - Friday, 8AM-7PM EST

QUOTE

Cust No: B39701
 Attention: Drew McCain
 Fax No.:
 Phone No.: (601) 329-5853

Bill to Address:
 Lowndes Co Sheriffs Ofc
 527 MLK Jr. Dr. South
 Columbus, MS 39701

Ship to Address:
 Lowndes Co Sheriffs Office
 527 MLK Jr Drive S
 Columbus, MS 39701

E-mail: dmccain@lowndes-so.org

Qty	Description		Unit Price	Total
1	ACEVD36A	36x28x84 DRYSAFE	\$10,173.08	\$10,173.08

Payment Details
 Terms: NET 30 DAYS
 Expected Delivery:
 Expiration: 60 Days
 Federal ID No.: 26-1186682

Net Order: \$10,173.08
 Less Discount: \$0.00
 Shipping & Handling: \$485.00
 Sales Tax: \$0.00
 Order Total: \$10,658.08

Thank you for your continued interest in SIRCHIE products. When placing your order, please reference your quote number provided above. If you have any questions or concerns, please do not hesitate to call.

Signature: _____
 Bridget Ellison

By placing this order, you are acknowledging you are a United States purchaser and agree not to ship products internationally and/or engage in a subsequent resale leading to the export of these items. Certain commodities cannot be exported from the United States without specific approval from the Department of Commerce (Part 730 et seq., U.S. Export Administration Regulations) and/or the Department of State (22 C.F.R. 120-130, ITAR). Diversion contrary to U.S. law is prohibited.



375 New Holland Drive
 Suite A
 Belleville, PA 17004

Quotation

Date	Estimate No.
2/27/2026	609

Name/Address

Lowndes County Sheriff's Office
 Eddie Hawkins
 527 S Martin Luther King Jr Drive
 Columbus, MS 39701

Project
XTR 1860 2026

Item	Description	Qty	U/M	Total
XTR 1860 - .25...	XTR 1860 - .250" Bottom - 300HP BRP Rotax 1630 Engine - 161MM BRP Rotax Pump Standard Features Include: All Welded Hull Construction 14" 5-Chamber Urethane Inflatable Collar Integrated Cowl Vent Stomp Grate Self-Bailing Floor Structure Scupper Drains 270 Deg "Lock To Lock" Steering Raptor Advanced Control (RAC) Shifter Medallion 8" Touchscreen Engine Data Display NMEA 2000 Network Digital Switching Power Distribution NOCO NLP14 Starting Battery NOCO Genius GENPRO Onboard Charger – NOCO Charging Inlet Main Electrical Disconnect Sealed Electrical Connectors Fuse Panel Dual Rule 900 Gal/Hr Bilge Pumps Marine LED Interior Strip Lighting Package Side Helm Mounted Recessed LED Front Navigation Lights Engine Lid Mounted Anchor Light Receptacle W/ Anchor Light Stainless Steel Hardware XTR AquaTraction Package Including Fore Console & Engine Lid Service Organization Logo	1	ea	83,000.00T

We look forward to working with you!	Total
--------------------------------------	--------------

Phone #	E-mail	Web Site	Pricing is good for 60 days from date on estimate.
717-935-2175	accounts@riverraptorjetboats.com	www.riverraptorjetboats.com	



375 New Holland Drive
 Suite A
 Belleville, PA 17004

Quotation

Date	Estimate No.
2/27/2026	609

Name/Address

Lowndes County Sheriff's Office
 Eddie Hawkins
 527 S Martin Luther King Jr Drive
 Columbus, MS 39701

Project
XTR 1860 2026

Item	Description	Qty	U/M	Total
UHMW Full & ...	Full Bottom & 6" Side 1/2" UHMW Coating Applied With 3M 540, 1/4" SS Hardware, Sealing Washers & Lock Nuts	1	ea	4,394.50T
S5 Jockey Seat...	Shockwave S5 Jockey Suspension Seat With Storage Box Pedestal	1	ea	2,475.00T
Swing Ladder ...	Swim Deck Removable Swing Ladder Assembly	1	ea	1,375.00T
Tow Tower	Billet Aluminum Machined Tow Tower - Tower Only	1	ea	495.00T
Fire Extinguish...	Marine Fire Extinguisher (Installed)	1	ea	99.00T
Winch Assembl...	Bow Integrated Mile Marker 3500 LB. WINCH PE3500 With Synthetic Rope.	1	ea	1,815.00T
Anchor Box As...	Fabricated Aluminum Anchor Storage Assembly With Anchor	1	ea	1,095.00T
Cooler 4 Gal G...	4 Gal Gray Water Cooler/Seat With Lash Down System- Installed Fore Console	1	ea	375.00T
Cooler Tie Dow...	Cooler Tie Down Kit	1	ea	19.99T
Davit Crane Mo...	Davit Crane Receptacle Mount Assembly - Includes Lightbar Mount & Tie Off Tee	1	ea	1,045.00T
OLP CompElite...	1200 lbs. Carbon Fiber Davit Crane w/ Carbon Steel Brake Winch, Synthetic Rope w/ Hook & Receptacle Bushing & Pin	1	ea	4,394.50T
LED Underwat...	LED Underwater Lights - Installed (Blue or White)	1	set	1,017.50T
Compact Light ...	River Raptor Compact Light Tower Assembly	1	ea	4,125.00T
Communication...	Custom Fabricated T-Top Mounted Coms Box	1	ea	1,095.00T
CZone DDS Int...	Digital Switching Module For Accessory Power Distribution	1	ea	550.00T
LED Whelen I...	ION V-Series Super-LED® Universal Blue with Black Housing (Installed On Corners Of T-Top)	2	ea	880.00T

We look forward to working with you!			Total
Phone #	E-mail	Web Site	Pricing is good for 60 days from date on estimate.
717-935-2175	accounts@riverraptorjetboats.com	www.riverraptorjetboats.com	



375 New Holland Drive
 Suite A
 Belleville, PA 17004

Quotation

Date	Estimate No.
2/27/2026	609

Name/Address

Loowndes County Sheriff's Office
 Eddie Hawkins
 527 S Martin Luther King Jr Drive
 Columbus, MS 39701

Project
XTR 1860 2026

Item	Description	Qty	U/M	Total
LED Whelen I...	ION V-Series Super-LED® Universal Red with Black Housing (Installed On Corners Of T-Top)	2	ea	880.00T
LED Lightbar - ...	20" EXTREME SINGLE ROW 100W COMBO BEAM LED LIGHTBAR (Installed Fore, Aft, Port, & Starboard On T-Top)	4	ea	1,876.00T
Siren - Speaker...	30 Watt Siren & Speaker Combination With PA (Public Address) And Microphone	1	ea	850.00T
River Raptor R...	River Raptor RR-XTR82900 2900LB Capacity Aluminum Dual Axle Roller Trailer. Includes Custom Fabrication, Aluminum Wheels, Spare Wheel & Tire Carrier, LED Lights, Trailer Jack & Retractable Tie Downs.	1	ea	9,405.00T
	Invoice Total			121,261.49
Direct Sale Dis...	Direct Sale Discount			-3,637.84
	Tax Exempt Entity			0.00

We look forward to working with you!			Total	\$117,623.65
Phone #	E-mail	Web Site		Pricing is good for 60 days from date on estimate.
717-935-2175	accounts@riverraptorjetboats.com	www.riverraptorjetboats.com		



12918 N. Nebraska Ave.
Tampa, FL 33612
UEI: TK67EL9NPM09
Cage Code: 3VCK4
FEIT: 42-1613127
DUNS: 094261935

POC: Drew McCain
TO: Lowndes County MS
Lowndes County Sheriff's Office
527 S Martin Luther King Jr Dr
Columbus, MS 39701

Sales Quote QU0007581
Date: 6/11/2025

Phone: (662) 328-6788
E-Mail dmccain@lowndes-so.org

Certs: HUBZone SB

Qty.	Manufacturer	Item No.	Description	Unit Price	Total Price
1	Generac	MLT4200IVLED-STD4	Diesel 20kW LED Mobile Light Tower	\$28,775.73	\$28,775.73
1	Generac	FREIGHT	Freight- Sales	\$1,800.00	\$1,800.00

FOB: Destination
Delivery Time: 42 Days ARO

Quantity 1 - MLT4200IVLED-STD4: Diesel 20kW LED Mobile Light Tower, brushless excitation, automatic voltage regulation, Isuzu engine, vertical mast, electric winch, 20kW export power.

Sourcewell # 199539
Generac Sourcewell # 020923- GNR

- *** Please see attachments for machine data and warranty information. ***
- *** Shipping to Columbus, MS included. ***
- *** Current lead time is 4-6 weeks ARO, subject to change. ***
- *** Unit arrives on flatbed trailer. ***
- *** Forklift/crane needed to offload. ***
- *** Offloading is customer responsibility ***

Subtotal: \$30,575.73
Tax: \$0.00
Total: \$30,575.73

- Terms and Conditions.
- Quote valid for 15 days
 - Terms: Net 30
 - Unless otherwise specified, full dock or off-loading capabilities required to avoid additional charges.
 - If using a purchase card, a credit card surcharge may apply.
 - Certificate of Origin/MSO will not be released until payment in full has been received.

Jay Johnson,
O. (813)631-0000
F. (813)631-0008
jay@federalcontractscorp.com



Axon Enterprise, Inc.
 17800 N 85th St
 Scottsdale, Arizona 85255
 United States
 VAT: 86-0741227
 Domestic: (800) 978-2737
 International: +1.800.978.2737

Q-819308-46085TR

Issued: 03/07/2026

Quote Expiration: 10/30/2026

Estimated Contract Start Date: 10/15/2026

Account Number: 134833

Payment Terms: N30

Mode of Delivery: AUTO-GND

Credit/Debit Amount: \$0.00

SHIP TO	BILL TO	SALES REPRESENTATIVE	PRIMARY CONTACT
Lowndes County Sheriff's Office - MS 527 MARTIN LUTHER KING JR DR S COLUMBUS, MS 39701-6250 USA Email:	Lowndes County Sheriff's Office - MS 527 MARTIN LUTHER KING JR DR S COLUMBUS MS 39701-6250 USA Email:	Thomas Radoslovich Phone: Email: tradoslovich@axon.com Fax:	Joshua McCain Phone: 1-662-328-6788 Email: dmccain@lowndes-so.org Fax: 1-662-244-0769

Quote Summary

Program Length	60 Months
TOTAL COST	\$154,044.00
ESTIMATED TOTAL W/ TAX	\$154,044.00

Discount Summary

Average Savings Per Year	\$2,741.02
TOTAL SAVINGS	\$13,705.12

Payment Summary

Date	Subtotal	Tax	Total
Sep 2026	\$30,808.80	\$0.00	\$30,808.80
Sep 2027	\$30,808.80	\$0.00	\$30,808.80
Sep 2028	\$30,808.80	\$0.00	\$30,808.80
Sep 2029	\$30,808.80	\$0.00	\$30,808.80
Sep 2030	\$30,808.80	\$0.00	\$30,808.80
Total	\$154,044.00	\$0.00	\$154,044.00

Quote Unbundled Price: \$167,742.00
 Quote List Price: \$154,044.00
 Quote Subtotal: \$154,044.00

Pricing

All deliverables are detailed in Delivery Schedules section lower in proposal

Item	Description	Qty	Term	Unbundled	List Price	Net Price	Subtotal	Tax	Total
C00018	BUNDLE - TASER 7 CERTIFICATION	30	60	\$93.19	\$85.58	\$85.58	\$154,044.00	\$0.00	\$154,044.00
Total							\$154,044.00	\$0.00	\$154,044.00

Delivery Schedule

Hardware

Bundle	Item	Description	QTY	Shipping Location	Estimated Delivery Date
BUNDLE - TASER 7 CERTIFICATION	100591	AXON TASER - CLEANING KIT	1		09/15/2026
BUNDLE - TASER 7 CERTIFICATION	100623	ENHANCED HOOK-AND-LOOP TRAINING (HALT) SUIT (V2)	1		09/15/2026
BUNDLE - TASER 7 CERTIFICATION	20008	AXON TASER 7 - HANDLE - HIGH VIS GRN LASER CLASS 3R YLW	30		09/15/2026
BUNDLE - TASER 7 CERTIFICATION	20008	AXON TASER 7 - HANDLE - HIGH VIS GRN LASER CLASS 3R YLW	1		09/15/2026
BUNDLE - TASER 7 CERTIFICATION	20018	AXON TASER - BATTERY PACK - TACTICAL	36		09/15/2026
BUNDLE - TASER 7 CERTIFICATION	20063	AXON TASER 7 - HOLSTER - SAFARILAND RH	30		09/15/2026
BUNDLE - TASER 7 CERTIFICATION	22175	AXON TASER 7 - CARTRIDGE - LIVE STANDOFF (3.5-DEGREE) NS	150		09/15/2026
BUNDLE - TASER 7 CERTIFICATION	22176	AXON TASER 7 - CARTRIDGE - LIVE CLOSE QUART (12-DEGREE) NS	150		09/15/2026
BUNDLE - TASER 7 CERTIFICATION	22177	AXON TASER 7 - CARTRIDGE - HALT STANDOFF NS	60		09/15/2026
BUNDLE - TASER 7 CERTIFICATION	22178	AXON TASER 7 - CARTRIDGE - HALT CLOSE QUART NS	60		09/15/2026
BUNDLE - TASER 7 CERTIFICATION	22179	AXON TASER 7 - CARTRIDGE - INERT STANDOFF (3.5-DEGREE) NS	30		09/15/2026
BUNDLE - TASER 7 CERTIFICATION	22181	AXON TASER 7 - CARTRIDGE - INERT CLOSE QUART (12-DEGREE) NS	30		09/15/2026
BUNDLE - TASER 7 CERTIFICATION	70033	AXON - DOCK WALL MOUNT - BRACKET ASSY	1		09/15/2026
BUNDLE - TASER 7 CERTIFICATION	71019	AXON BODY - DOCK POWERCORD - NORTH AMERICA	1		09/15/2026
BUNDLE - TASER 7 CERTIFICATION	74200	AXON TASER - DOCK - SIX BAY PLUS CORE	1		09/15/2026
BUNDLE - TASER 7 CERTIFICATION	80087	AXON TASER - TARGET - CONDUCTIVE PROFESSIONAL RUGGEDIZED	1		09/15/2026
BUNDLE - TASER 7 CERTIFICATION	80090	AXON TASER - TARGET FRAME - PROFESSIONAL 27.5 IN X 75 IN	1		09/15/2026
BUNDLE - TASER 7 CERTIFICATION	22175	AXON TASER 7 - CARTRIDGE - LIVE STANDOFF (3.5-DEGREE) NS	60		09/15/2027
BUNDLE - TASER 7 CERTIFICATION	22176	AXON TASER 7 - CARTRIDGE - LIVE CLOSE QUART (12-DEGREE) NS	60		09/15/2027
BUNDLE - TASER 7 CERTIFICATION	22175	AXON TASER 7 - CARTRIDGE - LIVE STANDOFF (3.5-DEGREE) NS	60		09/15/2028
BUNDLE - TASER 7 CERTIFICATION	22176	AXON TASER 7 - CARTRIDGE - LIVE CLOSE QUART (12-DEGREE) NS	60		09/15/2028

Hardware

Bundle	Item	Description	QTY	Shipping Location	Estimated Delivery Date
		DEGREE) NS			
BUNDLE - TASER 7 CERTIFICATION	22177	AXON TASER 7 - CARTRIDGE - HALT STANDOFF NS	60	1	09/15/2028
BUNDLE - TASER 7 CERTIFICATION	22178	AXON TASER 7 - CARTRIDGE - HALT CLOSE QUART NS	60	1	09/15/2028
BUNDLE - TASER 7 CERTIFICATION	22175	AXON TASER 7 - CARTRIDGE - LIVE STANDOFF (3.5-DEGREE) NS	60	1	09/15/2029
BUNDLE - TASER 7 CERTIFICATION	22176	AXON TASER 7 - CARTRIDGE - LIVE CLOSE QUART (12-DEGREE) NS	60	1	09/15/2029
BUNDLE - TASER 7 CERTIFICATION	22175	AXON TASER 7 - CARTRIDGE - LIVE STANDOFF (3.5-DEGREE) NS	60	1	09/15/2030
BUNDLE - TASER 7 CERTIFICATION	22176	AXON TASER 7 - CARTRIDGE - LIVE CLOSE QUART (12-DEGREE) NS	60	1	09/15/2030

Software

Bundle	Item	Description	QTY	Estimated Start Date	Estimated End Date
BUNDLE - TASER 7 CERTIFICATION	101180	AXON TASER - DATA SCIENCE PROGRAM	30	10/15/2026	10/14/2031
BUNDLE - TASER 7 CERTIFICATION	20248	AXON TASER - EVIDENCE.COM LICENSE	1	10/15/2026	10/14/2031
BUNDLE - TASER 7 CERTIFICATION	20248	AXON TASER - EVIDENCE.COM LICENSE	30	10/15/2026	10/14/2031

Services

Bundle	Item	Description	QTY
BUNDLE - TASER 7 CERTIFICATION	101193	AXON TASER - ON DEMAND CERTIFICATION	30
BUNDLE - TASER 7 CERTIFICATION	20246	AXON TASER 7 - REPLACEMENT ACCESS PROGRAM - DUTY CARTRIDGE	30

Warranties

Bundle	Item	Description	QTY	Estimated Start Date	Estimated End Date
BUNDLE - TASER 7 CERTIFICATION	80374	AXON TASER - EXT WARRANTY - BATTERY PACK T7/T10	36	09/15/2027	10/14/2031
BUNDLE - TASER 7 CERTIFICATION	80395	AXON TASER 7 - EXT WARRANTY - HANDLE	1	09/15/2027	10/14/2031
BUNDLE - TASER 7 CERTIFICATION	80395	AXON TASER 7 - EXT WARRANTY - HANDLE	30	09/15/2027	10/14/2031
BUNDLE - TASER 7 CERTIFICATION	80396	AXON TASER - EXT WARRANTY - DOCK SIX BAY T7/T10	1	09/15/2027	10/14/2031

Shipping Locations

Location Number	Street	City	State	Zip	Country
1	527 MARTIN LUTHER KING JR DR S	COLUMBUS	MS	39701-6250	USA

Payment Details

Invoice Plan	Item	Description	Qty	Subtotal	Tax	Total
Annual Payment 1	C00018	BUNDLE - TASER 7 CERTIFICATION	30	\$30,808.80	\$0.00	\$30,808.80
Total				\$30,808.80	\$0.00	\$30,808.80

Invoice Plan	Item	Description	Qty	Subtotal	Tax	Total
Annual Payment 2	C00018	BUNDLE - TASER 7 CERTIFICATION	30	\$30,808.80	\$0.00	\$30,808.80
Total				\$30,808.80	\$0.00	\$30,808.80

Invoice Plan	Item	Description	Qty	Subtotal	Tax	Total
Annual Payment 3	C00018	BUNDLE - TASER 7 CERTIFICATION	30	\$30,808.80	\$0.00	\$30,808.80
Total				\$30,808.80	\$0.00	\$30,808.80

Invoice Plan	Item	Description	Qty	Subtotal	Tax	Total
Annual Payment 4	C00018	BUNDLE - TASER 7 CERTIFICATION	30	\$30,808.80	\$0.00	\$30,808.80
Total				\$30,808.80	\$0.00	\$30,808.80

Invoice Plan	Item	Description	Qty	Subtotal	Tax	Total
Annual Payment 5	C00018	BUNDLE - TASER 7 CERTIFICATION	30	\$30,808.80	\$0.00	\$30,808.80
Total				\$30,808.80	\$0.00	\$30,808.80

Tax is estimated based on rates applicable at date of quote and subject to change at time of invoicing. If a tax exemption certificate should be applied, please submit prior to invoicing.

Standard Terms and Conditions

Axon Enterprise Inc. Sales Terms and Conditions

Axon Master Services and Purchasing Agreement:

This Quote is limited to and conditional upon your acceptance of the provisions set forth herein and Axon's Master Services and Purchasing Agreement (posted at <https://www.axon.com/sales-terms-and-conditions>), as well as the attached Statement of Work (SOW) for Axon Fleet and/or Axon Interview Room purchase, if applicable. In the event you and Axon have entered into a prior agreement to govern all future purchases, that agreement shall govern to the extent it includes the products and services being purchased and does not conflict with the Axon Customer Experience Improvement Program Appendix as described below.

ACEIP:

The Axon Customer Experience Improvement Program Appendix, which includes the sharing of de-identified segments of Agency Content with Axon to develop new products and improve your product experience (posted at www.axon.com/legal/sales-terms-and-conditions), is incorporated herein by reference. By signing below, you agree to the terms of the Axon Customer Experience Improvement Program.

Acceptance of Terms:

Any purchase order issued in response to this Quote is subject solely to the above referenced terms and conditions. By signing below, you represent that you are lawfully able to enter into contracts. If you are signing on behalf of an entity (including but not limited to the company, municipality, or government agency for whom you work), you represent to Axon that you have legal authority to bind that entity. If you do not have this authority, please do not sign this Quote.

Exceptions to Standard Terms and Conditions

Rewrite Estimates

Estimated Amounts and Contract Terminations. Any amounts stated as due under existing or terminated contracts — including contract transfer balances carried forward to new or pending contracts — are estimates based on payments received as of the calculation date. These estimates may be adjusted if new contracts are not executed on the anticipated dates or if expected payments are not made.

Refresh Shipment Timing

Technology Assurance Plan (TAP) Refresh Prior to Renewal. For Customers with expiring agreements that include TAP refresh rights, Axon may, in its discretion, ship refresh hardware under the existing contract while renewal or replacement agreements are in progress. Any such shipments will be deemed made under the terms of the existing contract until the new contract is fully executed, after which any applicable updates, fees, or adjustments will apply.

Shipment Timing

Shipment Variance. Estimated shipment dates are provided for planning purposes only and are not guarantees. Axon may ship hardware before or after the estimated shipment date, and failure to meet an estimated shipment date will not, by itself, constitute a breach, provided Axon uses commercially reasonable efforts to meet estimated shipment dates.

Signature

Date Signed

3/4/2026

